View NSN Online: https://aerobasegroup.com/nsn/6750-00-250-8581

EASTMAN KODAK COMPANY -- 102 2656 PROSTAR PLUS FIXER -- 6750-00-250-8581

Product ID:102 2656 PROSTAR PLUS FIXER

MSDS Date:05/26/1993

FSC:6750

NIIN:00-250-8581

MSDS Number: BNPZY === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergen

cy Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 70-80%

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000

Fracti

on by Wt: 15-20%

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMMONIUM SULFITE (CERCLA)

CAS:10196-04-0 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM SULFITE

CAS:7757-83-7

RTECS #:WE2150000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: PENTETIC ACID, PENTA SODIUM SALT

CAS:140-01-2

Fraction by Wt: 100C

Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP

Vapor Pres:18 Vapor Density:0.6 Spec Gravity:

1.12 pH:7.2

Viscosity:NP

Evaporation Rate & Deference: NP

Solubility in Water: COMPLETE

Appearance and Odor:LIQUID, YELLOW COLOR, AMMONIA ODOR.

Percent Volatiles by Volume:78

Corrosion Rate:NP

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

BASES, SODIUM HYPOCHLORITE (BLEACH), STRONG OXIDIZING AGENTS. CONTACT W/BASE LIBERATES FLAMMABLE MATL.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition

Products:HAZ COMBUST PROD:NONE. HA DECOMPO PROD:NITROGEN OXIDES (NOX), SULFUR DIOXIDE, AMMONIA, CHLORAMINE.

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER. CHEM SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III OF SARA/40CFR 372:NONE.

Disclaimer (provided with this information by the compiling agencies): This information is formu lated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.