

R.H.CARLSON COMPANY,INC. -- SILICONE SYSTEMS 982 -- 8040-01-331-7128

=====
Product Identification
=====

Product ID:SILICONE SYSTEMS 982

MSDS Date:12/02/1991

FSC:8040

NIIN:01-331-7128

MSDS Number: BNRTS

=== Responsible Party ===

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

City:GREENWICH

State:CT

ZIP:06830

Country:US

Info Phone Num:203-531-5500

Emergency Phone Num:800-424-9300

CHEMTREC

CAGE:33530

=== Contractor Identification ===

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

He

alth Hazards Acute and Chronic:WARNING! MAY CAUSE IRRITATION. AVOID CONTACT WITH SKIN, EYES, AND CLOTHING, DIRECT CONTACT WITH UNCURED PRODUCT OR ITS VAPORS MAY CAUSE SLIGHT IRRITATION. INHALATION OF THE VAPORS MAY PRODUCE RESPIRATORY IRRITATION. INGESTION OF THE MATERIAL MAY PRODUCE ABDOMINAL PAIN AND DIARRHEA.

=====
First Aid Measures
=====

First Aid:INGEST: DON'T INDUCE VOMIT. IF VOMIT OCCURS, GIVE MORE FLUID. HAVE DR DETERMINE IF CONDITION OF PATIENT WILL PERMIT EVACUATION OF STOMACH/INDUCTION OF VOMIT. DON'T GIVE FLUID TO UNCONSCIOUS PERSON. SKIN: FLUSH W/WATER 15 MIN. REMOVE CONTAMCLOTH/SHOES. GET MED AID IF IRRIT OCCURS. EYE: IMMEDIATELY FLUSH W/WATER 15 MIN. HOLD EYELID OPEN. DON'T NEUTRALIZE. GET MED AID ASAP; FLUSH ADD 15 MIN IF UNAVAILABLE.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:250F,121C
Lower Limits:2.6
Upper Limits:12.8
Fire Fighting Procedures:PREVENT HUMAN EXPOSURE TO FIRE/SMOKE/FUMES/PRODUCT COMBUSTION. EVACUATE NONESSENTIAL PERSONNEL. WEAR FULL FACE, SCBA & IMPERVIOUS CLOTH. USE STANDARD FIRE FIGHTING TECHNIQUES

=====
Accidental Release Measures
=====

Spill Release Procedures:FOLLOW GOOD INDUSTRIAL HYGIENE. WEAR PROTECTIVE CLOTH & SPLASH GOGGLES. SOAK UP LIQUID WITH ABSORBENT. SWEEP UP ABSORBED MATERIAL. PLACE IN A CHEMICAL WASTE DRUM FOR DISPOSAL. WASH UP AREA WITH DETERGENT & WATER, FLUSH WITH WATER. LARG: DIKE, PUMP INTO DRUM.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID CONTACT WITH SKIN AND EYES, USE ONLY IN A WELL VENTED AREA.
Other Precautions:CONTACT LENS WEARERS TAKE APPROPRIATE PRECAUTION. STORE IN A COOL PLACE AND KEEP AWAY FROM HEAT, SPARKS, AND FLAME.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF CONDITIONS GENERATE VAPOR, HANDLE MATERIAL IN OPEN/VENTED AREA. IF INADEQUATE VENTILATION

NT, USE NIOSH ORGANIC VAPOR
RESPIRATOR. IF EXPOSURE NECESITATES HIGHER PROTECTION LEVEL, A
POSITIVE PRESSURE AIR SUPPLIE D RESPIRATOR IS RECOMMENDED.

Ventilation:LOCAL EXHAUST IS REQUIRED AND GENERAL MECHANICAL
VENTILATION IS SUGGESTED IN CLOSED AREAS.

Protective Gloves:PLASTIC FILM OR RUBBER GLOVES SUGGESTED.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:PROTECTIVE APRON OR COVERALLS.

Work Hygienic Practices:KEEP AWAY FROM HEAT, SPARKS AND FLAME. AVOID
PROLONGED VAPO

R BREATHING AND CONTACT WITH SKIN AND EYES.

Supplemental Safety and Health

(EMERGENCY/FIRST AID CONT'D) INHALATION: REMOVE FROM AREA. SEEK MEDICAL
IF BREATHING IS DIFFICULT. OXYGEN MAY BE DELIVERED UPON PHYSICIAN'S
ADVICE. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFE RABLY
MOUTH TO MOUTH.

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:NEGLIGIBLE

Vapor Density:> 1

Spec Gravity:1.05

Viscosity:PASTE

Evaporation Rate & Reference: