View NSN Online: https://aerobasegroup.tw/nsn/8010-01-333-9447

FARWEST PAINT MANUFACTURING CO. -- EXTERIOR TRIM ENAMEL BROWN 10076

8010-01-333-9447

============= Product Identification =================

Product ID: EXTERIOR TRIM ENAMEL BROWN 10076

MSDS Date:09/19/1991

FSC:8010

NIIN:01-333-9447

MSDS Number: BNTVW === Responsible Party ===

Company Name: FARWEST PAINT MANUFACTURING CO.

Address: 4522 S. 133RD ST.

City:TUKWILA

State:WA ZIP:98168 Country:US

Info Phone Num: 206-244-8844

Emergency Phone Num:206-941-1619

CAGE:2F266

=== Contractor Identification ===

Company Name: FARWEST PAINT MANUFACTURING CO

Address:4522 S 133RD ST

City:TUKWILA

State:WA ZIP:98168

Country:US

Phone:206-244-8844

CAGE:2F266

======= Composition/Information on Ingredients ========

Ingred Name: ETHYLENE GLYCOL

CAS:107-21-1

RTECS #:KW2975000 Fraction by Wt: 4.0%

Other REC Limits: NONE SPECIFIED

OSHA PEL:50 PPM ACGIH TLV:50 PPM EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: TEXANOL (ESTER AL

COHOL) CAS:25265-77-4 RTECS #:UF6000000 Fraction by Wt: 2.0% Other REC Limits: NONE SPECIFIED OSHA PEL:100 PPM ACGIH TLV:100 PPM Ingred Name: VOC: 62 G/L RTECS #:9999999VO Other REC Limits: NONE SPECIFIED =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHAL: PROLONGED IN CONFINED AREAS, MAY LEAD TO MUCUS MEMBRANCE IRRIT, D IZZINESS, HEADACHE. SKIN: IRRIT OF THE SKIN. EYE: IRRITATION OF THE EYES. INGESTION: AMOUNTS INGESTED INCIDENTAL TO CONSU MER AND INDUSTRIAL HANDLING ARE NOT LIKELY TO CAUSE INJURY, HOWEVER, INGESTION OF LARGER AMTS COULD CAUSE SERIOUS INJURY Medical Cond Aggravated by Exposure: NONE, WHEN USED IN ACCORDANCE WITH SAFE HANDLING INSTRUCTIONS. (SEE SECTION VIII). First Aid:INHAL: REMOVE TO FRESH AIR. IF RESPIR ATORY SYMPTOMS DEVELOP, SEEK MEDICAL ATTN AT ONCE. SKIN: WASH OFF QUICKLY WITH PLENTY OF

SEEK MEDICAL ATTN AT ONCE. SKIN: WASH OFF QUICKLY WITH PLENTY OF WATER, THEN SOAP & WATER. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REU SE. EYE: FLUSH IMMEDIATLEY W/LARGE AMOUNTS OF WATER, ESPECIALLY UNDER LIDS, FOR AT LEAST 15 MINUTES. OBTAIN EMERGENCY MEDICAL TREATMENT. INGESTION: IF SWALLOWED, OBTAIN MEDICAL TREATMENT IMMEDIATELY.

============ Fire Fighting Measures =========================

Extinguishing Media: FOAM, DRY CHEMICAL, W

ATER OR WATER FOG
Fire Fighting Procedures:WATER MAY BE USED TO COOL AND PROTECT EXPOSED
CONTAINERS Unusual Fire/Explosion Hazard:WILL NOT BURN, CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HEAT OR FIRE.
======== Accidental Release Measures =========
Spill Release Procedures:COMPLY WITH ALL APPLICABLE HEALTH AND ENVIRONMENTAL REGULATIONS. VENTILATE AREA. SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIALS.
======================================
Handling and Storage Precautions:AVOID TEMPERATURES BELOW 40F. KEEP FROM FREEZING. STORE CONTAINERS WITH LIDS TIGHTLY CLOSED AND APPROPRIATELY LABELED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/OSHA FOR PROTECTION AGAINST MATERIALS IN SECTION II. Ventilation:LOCAL EXHST PREFERABLE. GEN EXHST ACCEPTABLE IF THE EXPOS TO MATLS IN SECT II IS MAINTAINED BELOW APPLICABLE EXPOS LIMIT Protective Gloves:RECOMMENDED BY GLOVE SUPPLIER Eye Protection:SFTY SPECTACLES W/UNPERFORATED SIDESHLDS Other Protective Equipment:EYE WASH, SAFETY SHOWERS, GOGGLES, SAFETY GLASSES, IMPERVIOUS GLOVES Work Hygienic Practices:KEEP WORK AREA CLEAN/FREE FROM SPILLS/LEAKS. ALWAYS WASH HANDS THOROUGHLY W/SOAP & WATER BEFORE HNDLG FOOD/DRINK/SMOKING Supple mental Safety and Health USE ONLY WITH ADEQUATE VENTILATION. AVOID BREATHING VAPOR AND SPRAY MIST. AVOID CONTACT WITH SKIN AND EYES.
========= Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:212F,100C Vapor Pres:23.8 @ 25C Vapor Density:> THAN AIR Spec Gravity:9-11 LB/GL

pH:7-8

Evaporation Rate & Evaporation R

Appearance and Odor:THIXOTROPIC LIQUID WITH SLIGHT ODOR, COLOR OF TINT.

======= Stability a

nd Reactivity Data ==========	
Stability Indicator/Materials to Avoid:YES	
01/15/15550 41/15/05 11/1550 41/16510 40/15	

OXIDIZERS AND/OR HYDROFLUORIC ACID
Stability Condition to Avoid:ELEVATED TEMPERATURES, CONTACT WITH
OXIDIZING AGENTS

Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS.

Disclaimer (provided with this in formation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.