Product ID:E557 ELECTRO KLENE MSDS Date:03/01/1992 FSC:6850 NIIN:01-099-9842 **MSDS Number: BQVPP** === Responsible Party === **Company Name:STONER INC** Address: EAST STATE STREET Box:65 City:QUARRYVILLE State:PA ZIP:15766-9407 Country:US Info Phone Num:717-786-7355 Emergency Phone Num:717-786-7355 CAGE:5Y425 === Contr actor Identification === Company Name: STONER INCORPORATED Address:1070 ROBERT FULTON HWY Box:City:QUARRYVILLE State:PA ZIP:15766 Country:US Phone:800-227-5538 CAGE:5Y425 Ingred Name: CHLORODIFLUOROMETHANE CAS:75-45-6 RTECS #:PA6390000 Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000PPM; 9293 **Ozone Depleting Chemical:2** Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III) CAS:76-13-1 R

TECS #:KJ4000000 Fraction by Wt: 75-85% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL9293 Ozone Depleting Chemical:1

MFR.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION OF HIGH CONCENTRATIONS OF VAPOR (ABOVE THE RECOMMENDED EXPOSURE LIMIT) IS HARMFUL AND MAY CAUSE TEMPORARY NERV OUS SYSTEM DEPRESSION WITH ANESTHETIC EFFECTS SUCH AS DIZZINESS, HEADACHE, INCO ORDINATION, AND LOSS OF CONSCIOUSNESS.SKIN CONTACT WITH THE LIQUID MAY CAUSE FREEZING OF THE SKIN. Explanation of Carcinogenicity:NONE OF THE MATERIALS IN THIS PRODUCT ARE LISTED AS A CARCINOGEN BY IARC, NTP, OSHA OR ACGIH. Effects of Overexposure: INHALATION OF HIGH CONCENTRATIONS OF VAPOR (ABOVE THE RECOMMENDED EXPOSURE LIMIT) IS HARMFUL AND MAY CAUSE TEMPORARY NERVOUS SYSTEM DEPRESSION WITH ANESTHETIC EFFECTS SUCH AS DIZZINESS, HEADACHE, INCO ORDINATION, AND LOSS OF CONSCIOUSNESS.SKIN CONTACT WITH THE LIQUID MAY CAUSE FREEZING OF THE SKIN. Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY

First Aid:INHALED:IMMEDIATELY REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICAIAL RESPIRATION. SKIN CONTACT:FLUSH WITH WATER AFTER EXCESSSIVE CONTACT. TREAT FOR FROSTBITE IF A PPROPRIATE. EYE

CONTACT:FLUSH EYES WITH WATER FOR 15 MIN. INGESTION:NOT A POTENTIAL ROUTE OF EXPOSURE. NOTE TO PHYSICIAN:CATECHOLAMINE TYPE DRUGS (EPINEPHRINE) SHOULD BE USED WITH EXTREME CAUTION AS THEY MAY CAUSE CARDIAC ARRYTHMA

Flash Point:NON-FLAMMABLE Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM - FOR SURROUNDING FIRE Fire Fighting Procedures:KEEP CONTAINERS COOL EITH WATER SPRAY. USE SELF-CONTAINED BREATHING APPARATUS IF PRODUCT IS RELEASED UNDER FIRE CONDITIONS. Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE OR EXPLODE UNDER

FIRE CONDITIONS.

Spill Release Procedures:WEAR APPROPRIATE PROTECTIVE EQUIPMENT (SCBA). MOP OR ABSORB LIQUID ON INERT MATERIAL. PLACE IN CLOSED CONTAINERS FOR DISPOSAL. VENTILATE AREA IF IN AN ENCLOSED AREA. Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.

Handling and Storage Precautions:CONTENTS UNDER PRESSURE! USE WITH ADEQUATE VENTILATION. STORE BELOW 130F. DO NOT REMOVE OR DEFACE LABEL.

Other Precautions:NO INFORMATION GIVEN ON MSDS BY MFR.

Respiratory Protection:SCBA IS REQUIRED IF A LARGE SPILL OR RELEASE OCCURS. NONE GENERALLY REQUIRED FOR NAORMALLY VENTED SITUATIONS. Ventilation:NORMAL RO OM VENTILATION IS USUALLY SUFFICIENT. PROVIDE GENERAL AND LOCAL EXHAUST SUFFICIENT TO MAINTAIN EXPOSURES