View NSN Online: https://aerobasegroup.tw/nsn/6505-01-162-4455

FUJISAWA PHARMACEUTICAL CO,DIV OF FUJISAWA USA INC -- SODIUM ACETATE INJECTION -- 6505-01-162-4455

============= Product Identification ==================

Product ID:SODIUM ACETATE INJECTION

MSDS Date:07/10/1992

FSC:6505

NIIN:01-162-4455

MSDS Number: BQWNN === Responsible Party ===

Company Name: FUJISAWA PHARMACEUTICAL CO, DIV OF FUJISAWA USA INC

Address: PAKWAY NORTH CENTER, 3 PARKWAY NORTH

City:DEERFIELD

State:IL ZIP:6

0015-2548 Country:US

Info Phone Num:708-317-0800

Emergency Phone Num:708-317-0800, 800-888-7704

Preparer's Name: GREGORY KOLAR

CAGE:EO410

=== Contractor Identification ===

Company Name: FUJISAWA PHARMACEUTICAL CO Address: PARKWAY NORTH CENTER, 3 PARKWAY N

Box:City:DEERFIELD

State:IL

ZIP:60015-2548 Country:US

Phone:708-317-0800

CAGE:EO410

Company Name: FUJISAWA USA, INC.

Address: 3 PARKWAY NORTH

Box:City:DEERFIELD

State:IL

ZIP:60015-2548 Country:US

Phone:708-317-0800 OR 800-888-7704

CAGE:0K706 Company

Name:LYPHOMED INC DIV OF FUJISAWA USA INC Address:2020 RUBY ST Box:City:MELROSE PARK State:IL ZIP:60160-1112 Country:US Phone:312-345-6170 CAGE:60567 ======= Composition/Information on Ingredients ========= Ingred Name: SODIUM ACETATE 16.4% OR 32.8%. CAS:127-09-3 RTECS #:AJ4300010 Other REC Limits: NONE RECOMMENDED Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Other REC Limits: NONE RECOMMENDED ========== Hazards Identification ================ LD50 LC50 M ixture:(ORAL) LD50 (RAT): 3530 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYE, SKIN AND RESPIRATORY TRACT IRRITATION MAY OCCUR. Effects of Overexposure:IRRITATION. Medical Cond Aggravated by Exposure: NONE KNOWN First Aid:EYE-FLUSH PROMPTLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN-WASH WITH SOAP & WATER: THEN FLUSH WITH WATER UNTIL CHEMICAL IS REMOVED. INGESTION-RINSE MOUTH WITH WATER, DRINK 2 TO 4 GLASSES OF WATER AND IMMEDIATELY GET MEDICAL HELP. INHALATION-REMOVE TO FRESH AIR. ============= Fire Fighting Measures ======================== Flash Point:>200F,>93C Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A

FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOS

CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
========= Accidental Release Measures ==========
Spill Release Procedures:WIPE OR MOP UP AND PLACE IN A CONTAINER FOR DISPOSAL. FLUSH RESIDUE AWAY WITH WATER.
======================================
Handling and Storage Precautions:STORE BETWEEN 2 AND 8C. KEEP CONTAINER TIGHTLY CLOSED. PROTECT FROM PHYSICAL DAMAGE. Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR THERAPEUTIC USE ONLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED UNDER NORMAL USE. Ventilation:NATURAL VENTILATION IS ADEQUATE. Protective Gloves:WEAR GLOVES Eye Protection:SAFETY GOGGLES Other Protective Equipment:WEAR REGULAR WORK CLOTHES, INCLUDING LONG-SLEEVED SHIRT & TROUSERS. Work Hygienic Practices:USE NORMAL PERSONAL HYGIENE AND FOLLOW GOOD HOUSEKEEPING PRACTICES. Supplemental Safety and Health THIS PRODUCT IS FOR THERAPEUTIC USE ONLY. OCCUPATIONAL HAZARDS ARE NOT FULLY UNDERSTOOD.
========= Physical/Chemical Properties ==========
HCC:N1 pH:6.0 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS SOLUTION, SLIGHT ACETIC ODOR.
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES STRONG STRONG ACIDS. Stability Condition to Avoi

Hazardous Decomposition Products:TOXIC FUMES			
=======================================	Disposal Considerations	=======================================	

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

d:HIGH HEAT.

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.