Product ID:CONOSOL C-200 MSDS Date:06/01/1993 FSC:6850 NIIN:01-331-3350 MSDS Number: BRGPF === Responsible Party === **Company Name:CONOCO INC** Address:5 GREENWAY PLAZA E Box:2197 **City:HOUSTON** State:TX ZIP:77252 Country:US Info Phone Num:713-293-5550 Emergency Phone Num:800-424-9300/441-3637 CAGE:5R396 === Contractor I dentification === **Company Name:CONOCO INC** Address:600 N DAIRY ASHFORD RD RM 3012 Box:4784 **City:HOUSTON** State:TX ZIP:77210-4784 Country:US Phone:800-441-3637/800-424-9300(CHEMTREC) CAGE:15445 Company Name: CONOCO INC Address:5 GREENWAY PLAZA E Box:2197 **City:HOUSTON** State:TX ZIP:77252 Country:US Phone:713-293-5550PRODUCT/ 800-4413637MED CAGE:5R396 **Company Name: EMULTEC INC** Address:1150 HAYDEN DR SUITE 100 Box:City:CARROLLTON State:TX ZIP:75006 Country:US Phone:972-417-1288 CAGE:0HD15 Company Name:HO

C INDUSTRIES, INC Address:3511 N. OHIO Box:2609 City:WICHITA State:KS ZIP:67219 Country:US Phone:316-838-4663 CAGE:0A9L8

Ingred Name:HYDROTREATED MIDDLE PETROLEUM DISTILLATE CAS:64742-46-7 RTECS #:JN9379645 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture: PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inhalation:YES Skin :YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: PRODUCT MAY CAUSE IRRITATION TO EYES, LUNGS OR SKIN W/PROLONGED &/OR REPEATED CONTACT. EXTREME OVEREXPOSURE OR ASPIRATION INTO LUNGS MAY CAUSE LUNG DAMAGE, DEATH. OVEREXPOSURE MAY CAUSE WEAKNESS, HEAD ACHE, CONFUSION, BLURRED VISION, DROWSINESS, OTHER CNS EFFECTS, DIZZINESS, SLURRED SPEACH, FLUSHED FACE, UNCONSCIOUSNESS Explanation of Carcinogenicity:MATERIAL IS NOT LISTED WITH IARC, NTP, ACGIH, OSHA OR THE STATE OF CALIFORNIA AS A CARCINOGEN. Effects of Overexposure: OVEREXPOSURE MAY CAUSE WEAKNESS, HEADACHE, NAUSEA, CONFUSION, BLURRED VISION, DROWSINESS AND OTHER NERVOUS SYSTEM EFFECTS; GREATER EXPOSURE MAY CAUSE DIZZINESS, SLURRED SPEECH, FLUSHED FACE, UNCONSCIO USNESS OR CONVULSION. Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

First Aid: IF IRRITATION

PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH THOROUGHLY W/SOAP & WATER AFTER HANDLING. INHALED:REMOVE FROM EXPOSURE. AID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE 2 GLASSES OF WATER TO DRINK. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF UNCONSCIOUS. TO PHYSICIAN:ACTUVATED CHARCOAL MAY BE ADMINISTERED.

Flash Point Method:PMCC Flash Point:>200F,>93C Lower Limits:1.0 Upper Limits:6.0 Extinguishing Media:WATER SPRAY, FOAM, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures:WATER OR FOAM CAUSE FROTHING. USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COLL. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURE. Unusual Fire/Explosion Hazard:PRODUCTS OF COMBUSTION MAY CONTAIN CARBONB MONOXIDE, CARBON DIOXIDE & OTHER TOXIC MATERIALS. DO NOT ENTER CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT.

Spill Release Procedures:REMOVE SOURCE OF HEAT, SPARKS, FLAME, IMPACT, FRICTION OR ELECTRICITY. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. RECOVER FREE LIQUID FOR REUSE OR RECLAMATION. SOAK UP WI TH SAWDUST, SAND, OIL DRY OR OTHER ABSORBENT.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

Handling and Storage Precau tions:STORE IN ACCORDANCE WITH NFPA RECOMMENDATIONS. KEEP CONTAINER TIGHTLY CLOSED. STORE IN WELL VENTILATED PLACE AWAY FROM OXIDIZERS, IGNITION SOURCES.
Other Precautions:WASH THOROUGHLY AFTER HANDLING. WASH CLOTHING AFTER USE. KEEP AWAY FROM HEAT, SPARKS, FLAMES. CLOSE CONTAINER AFTER EACH USE.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:SELECT APPROPIATE NIOSH-APPROVED RESPIRATORY PROTECTION FPR ORGANIC VAPORS WHERE NECESSAR Y TO MAINTAIN EXPOSURES BELOW THE EXPOSURE LIMITS GIVEN IN THIS MSDS. Ventilation:GENERAL MECHANICAL VENTILATION NORMALLY ADEQUATE. Protective Gloves:NBR OR NEOPRENE PROTECTIVE GLOVES Eye Protection:CHEMICAL SPLASH GOGGLES OR FACE SHIELD. Other Protective Equipment:SUFFICIENT TO MINIMIZE SKIN EXPOSURES. COVERALLS WITH LONG SLEEVES IF SPLASHING IS PROBABLE. Work Hygienic Practices:MFR:? HMIS:USE GOOD INDUSTRIAL HYGIENE PRACTICES. MINIMIZE CONTACT & WASH THOROUGHLY AFTER HANDLING. Sup

plemental Safety and Health

NOTES TO PHYSICIAN: ACTIVATED CHARCOAL SLURRY MAY BE ADMINISTERED. TO PREPARE ACTIVATED CHARCOAL SLURRY, SUSPEND 50 GRAMS ACTIVATED CHARCOAL IN 400 ML WATER AND MIX THOROUGHLY. ADMINISTER 5ML/KG, OR 3 50 ML FOR AN AVERAGE ADULT.

HCC:N1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:430F,221C Vapor Pres:0.4 MM Vapor Density:6.2 Spec Gravity:0.825 Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR, COLORLESS, LIQUID, NIL ODOR. Percent Volatiles by Volume:NIL

Stability Indicator/Materials to Avoid:YES INCOMPATIBLE WITH OXIDIZING MATERIALS Stability Condition to Avoid:AVOID EXCESSIVE HEAT, SPARKS & FLAME. Hazardous Decomposition Products:COMBUSTION PRODUCTS INCLUDE CARBON DIOXIDE & POSSIBLY CARBON MONOXIDE. Conditions to Avoid Polymerization:WILL NOT OCCUR.

================= Disposal Considerations =

Waste Disposal Methods:TREATMENT, STORAGE, TRASNPORTATION AND DISPOSAL MUST BE I/A/W APPLICABLE FEDERAL, STATE/PROVINCIAL, AND LOCAL REGULATIONS. RECOVER NONUSABLE FREE LIQUID AND DISPOSE OF IN AN APPROVED PERMITTED INCINER ATOR.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, war rants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.