

OKIDATA -- 52103901 TONER -- 6850-01-364-3108

=====  
Product Identification  
=====

Product ID:52103901 TONER

MSDS Date:03/05/1989

FSC:6850

NIIN:01-364-3108

Kit Part:Y

MSDS Number: BRHDZ

=== Responsible Party ===

Company Name:OKIDATA

Address:532 FELLOWSHIP RD

City:MOUNT LAUREL

State:NJ

ZIP:08054

Country:US

Info Phone Num:609-235-2600

Emergency Phone Num:609-235-2600

CAGE:25405

=== Contractor Identifi

cation ===

Company Name:AT AND T TECHNOLOGIES INC,FEDERAL SYSTEMS DIV

Address:I-85 AND MT HOPE CHURCH RD

Box:20046

City:GREENSBORO

State:NC

ZIP:27420

Country:US

Phone:919-279-5411

CAGE:64959

Company Name:CHASE GROUP INC

Address:688 AVON RD

Box:City:MEMPHIS

State:TN

ZIP:38122-4712

Country:US

Phone:901-683-6252

CAGE:65694

Company Name:OKIDATA

Address:532 FELLOWSHIP RD

Box:City:MOUNT LAUREL

State:NJ

ZIP:08054

Country:US

Phone:609-235-2600

CAGE:25405

=====  
Composition/Information on Ingrid

ients =====

Ingred Name:POLYSTYRENE  
CAS:9003-53-6  
RTECS #:WL6475000  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYBUTYLACRYLATE  
CAS:9003-49-0  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYETHYLENE  
CAS:9002-88-4  
RTECS #:TQ3325000  
Other REC Limits:NONE RECOMMENDED

Ingred Name:AZOIC DYE; CI SOLVENT YELLOW 21  
CAS:41741-86-0  
Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
Fraction by Wt: 15%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:3.  
5 MG/M3  
ACGIH TLV:3.5 MG/M3; 9293

Ingred Name:INORGANIC RESIDUE  
Fraction by Wt: 3.5%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: INHALATION OF DUST MAY CAUSE  
IRRITATION OF RESPIRATORY SYSTEM. CONTACT WITH SKIN AND EYES MAY  
CAUSE IRRITATION. NO HEALTH EFFECTS NOTED IF SWALLOWED. C

CHRONIC:

OVEREXPOSURE TO SOME OF COMPONENTS HAS CAUSED TUMOR GROWTH IN EXPERIMENTAL ANIMALS.

Explanation of Carcinogenicity: CARBON BLACK IS LISTED AS A SUSPECT (GROUP 3) CARCINOGEN BY IARC.

Effects of Overexposure: INHALED: SHORTNESS OF BREATH, SNEEZING, WHEEZING. EYES: REDNESS, DISCOMFORT. SKIN: REDNESS, ITCHING, DISCOMFORT. INGESTED: NONE NOTED.

Medical Conditions Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

=====  
=====  
First Aid Measures  
=====

First Aid: INHALED: REMOVE TO FRESH AIR. SEE DOCTOR IF SYMPTOMS PERSIST. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTED: IF CONSCIOUS, DILUTE BY DRINKING 1-2 GLASSES OF WATER; INDUCE VOMITING BY PLACING FINGER IN BACK OF MOUTH. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.

=====  
=====  
Fire Fighting Measures  
=====

Flash Point: >300F, >149C

Extinguishing Media: WATER, DRY CHEMICAL, CARBON DIOXIDE, FOAM

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: THERMAL DECOMPOSITION MAY RESULT IN THE RELEASE OF CARBON MONOXIDE, ACROLEIN, AND/OR HYDROGEN CYANIDE.

=====  
=====  
Accidental Release Measures  
=====

Spill Release Procedures: WET TO PREVENT DUST; SWEEP UP AND PLACE IN A CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=====  
=====  
Handling and Storage  
=====

Handling and Storage Precautions: PROTECT FROM HIGH HEAT. AVOID MAKING DUST.

Other Precautions: NONE

=====  
=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection: NONE NORMALLY REQUIRED. IF EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation: USE IN WELL VENTILATED AREA. SPECIAL VENTILATION IS NOT NORMALLY REQUIRED.

Protective Gloves: NONE NORM

ALLY REQUIRED. SPILL-RUBBER

Eye Protection:NONE NORMALLY REQUIRED. SPILL-S. GLASSES

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:WASH AHNDS AFTER HANDLING.

Supplemental Safety and Health

AT&T PN:406003459. PER TIR:KITS CONSISTS OF 2 TONER BTLs,2 TONER  
COLLECTION BTLs,2 TOENR CARTRIDGES,2 FUSER CLEANER PADS,2 PAPER  
TOWELS,4 DISPO GLOVES,6 DISPO PLASTIC BAGS.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>20

OF,>93C

Spec Gravity:>1.8 (WATER=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK COLORED FINE PARTICLES; NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:TEMPERATURES ABOVE 400F. CONTACT WITH  
STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:CARBON MONOXIDE, ACROLEIN, HYDROGEN  
CYANIDE

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice  
to verify and

assume responsibility for the suitability of this information to their  
particular situation.