

CRAWFORD LABORATORIES, INC. -- FORMULA 84 -- 8010-01-285-1329

=====
Product Identification
=====

Product ID:FORMULA 84

MSDS Date:04/30/1993

FSC:8010

NIIN:01-285-1329

MSDS Number: BRKMB

=== Responsible Party ===

Company Name:CRAWFORD LABORATORIES, INC.

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Country:US

Info Phone Num:312-376-7132

Emergency Phone Num:312-433-1307 800-424-9

300(CHEMTREC)

Preparer's Name:DAVID SCHMETTERER

CAGE:DO165

=== Contractor Identification ===

Company Name:CRAWFORD LABORATIES, INC

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Phone:800-424-9300 CHEMTREC

CAGE:DO165

Company Name:CRAWFORD LABORATORIES, INC

Address:4165 SOUTH EMERALD AVENUE

Box:City:CHICAGO

State:IL

ZIP:60609

Country:US

Phone:312-376-7132

CAGE:5V430

=====
Composition/Information on Ingredients
=====

Ingred Name:ZINC MOLYBDATE

CAS:13767-32-3

Fraction by Wt: 5.9%
Other REC Limits:NONE SPECIFIED
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:ZINC OXIDE
CAS:1314-13-2
RTECS #:ZH4810000
Fraction by Wt: 15%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15MG/M3 TDUST/5 FUME
ACGIH TLV:10MG/M3 TDUST; 9293

Ingred Name:MINERAL SPIRITS/66 (VAPOR PRESSURE 3.4 MM HG)
CAS:8032-32-4
RTECS #:OI6180000
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:500 PPM
ACGIH TLV:100 PPM

Ingred Name:100 SOLVENT (VAPOR PRESSURE 9 MM HG)
CAS:64742-95-6

Fraction by Wt: 11%
Other REC Limits:NONE SPECIFIED
OSHA PEL:50 PPM
ACGIH TLV:50 PPM

Ingred Name:VOC: AIR
Spec Gravity:1.56
Viscosity:90 KU
Evaporation Rate & Reference:0.11 X N-BUTYL ACETATE
Solubility in Water:SLIGHT
Appearance and Odor:YELLOW/SOLVENT ODOR
Percent Volatiles by Volume:60.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS AND STRONG ALKALIES.
Stability Condition to Avoid:HEAT, SPARKS

, OPEN FLAMES, &
INCOMPATIBILITIES. AIRCRAFT TRANSPORT MUST BE IN STRICT ACCORDANCE
W/ APPLICABLE REGULATION

Hazardous Decomposition Products:INCOMPLETE COMBUSTION FOR PRODUCTS
LIKE THIS MAY FORM HIGHLY POISONOUS CARBON MONOXIDE AND OTHER TOXIC
GASES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH CURRENT
LOCAL, STATE & FEDERAL REGULATIONS. CONTACT AN APPROVED DISPOSAL
FACILITY.

Disclaimer

(provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.