

EASTMAN KODAK COMPANY -- 847 7184 KODAK EKTACOLOR RA DEVELOPER REPLENISHER RT,  
PART B -- 6750-01-320-4327

===== Product Identification =====

Product ID:847 7184 KODAK EKTACOLOR RA DEVELOPER REPLENISHER RT, PART B

MSDS Date:05/02/1997

FSC:6750

NIIN:01-320-4327

Kit Part:Y

MSDS Number: BRYGW

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===

===== Composition/Information on Ingredients =====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 70-75%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIAMINE SESQUISULFATE MONOHYDRATE  
CAS:25646-71-3  
RTECS #:PB0431000  
Fraction by Wt: 15-20%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:LITHIUM SULFATE  
CAS:10377-48-7  
RTECS #:OJ6419000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED

Ingred  
Name:POTASSIUM SULFITE  
CAS:10117-38-1  
RTECS #:WT3530000  
Fraction by Wt: 212F,>100C  
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN  
Decomp Temp:Decomp Text:NOT GIVEN  
Vapor Pres:18MM @68F  
Vapor Density:0.6  
Spec Gravity:1.14  
pH:1.3  
Evaporation Rate & Reference:NOT GIVEN  
Solubility in Water:COMPLETE  
Appearance and Odor:YELLOW LIQUID. SHARP SULFUR DIOXIDE ODOR.  
Percent Volatiles by Volume:60-75%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YE

S

BASES, STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,  
OXIDES OF NITROGEN, OXIDES OF SULFUR.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO  
NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER.  
CONTAINS NO CHEMICALS SUBJECT TO REP  
ORTING REQMTS OF SEC 313/TIT  
III OF SARA/40CFR PART 372 .

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for t  
he suitability of this information to their  
particular situation.