View NSN Online: https://aerobasegroup.tw/nsn/6850-00-703-7406

Product ID: ZYGLO DEVELOPER ZP-9 F, ZA-43 MSDS Date:02/01/1993 FSC:6850 NIIN:00-703-7406 Kit Part:Y MSDS Number: BSVYW === Responsible Party === **Company Name: MAGNAFLUX CORPORATION** Address:7301 WEST AINSLIE AVENUE **City:HARWOOD HTS** State:IL ZIP:60656 Country:US Info Phone Num:708-867-8000 Emera ency Phone Num:708-867-8000, CHEMTREC 800-424-9300 Preparer's Name: BRUCE C. GRAHAM CAGE:37676 === Contractor Identification === Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV Address:3624 WEST LAKE AVENUE Box:City:GLENVIEW State:IL ZIP:60025 Country:US Phone:847-657-5300/ CAGE:37676

Ingred Name:ACETONE (SARA III) CAS:67-64-1 RTECS #:AL3150000 Fraction by Wt: 60% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH T LV:750PPM/1000STEL;9294 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 25% Other REC Limits:NONE RECOMMENDED OSHA PEL:400 PPM ACGIH TLV:400 PPM/500STEL;9394

Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 Fraction by Wt: 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;94

Routes of Entry: Inhalation :YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- CAN IRRITATE SKIN BY REMOVING NATURAL SKIN OIL ON LONG/REPEATED EXPOSURES. CAN IRRITATE EYES BUT DOES NOT ATTACK EYE TISSUE. INHALATION CAUSES DIZZINESS AND NAUSEA. INGESTION OF SMALL (MOUTHFUL) AMOUNTS IS NOT SIGNIFICANT. CHRONIC-UNKNOWN. TARGET ORGANS:EYES, SKIN, RESPIRATORY TRACT. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION OF EY ES, SKIN, RESPIRATORY TRACT, DIZZINESS, NAUSEA Medical Cond Aggravated by Exposure:NONE

First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. USE SOOTHING LOTION. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXY GEN IF NEEDED. ORAL:DO NOT INDUCE VOMITING. ACCIDENTAL INGESTION OF A SINGLE MOUTHFUL OF PRODUCT IS NOT EXPECT ED TO CAUSE SIGNIFICANT HARM. IN ALL SEVERE CASES, CONTACT PHYSICIAN IMMEDIATELY.

Flash Point:AEROSOL CAN Lower Limits:2 Upper Limits:15 Extinguishing Media:CARBON DIOXIDE, FOAM OR WATER. Fire Fighting Procedures:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN THE POSITIVE PRESSURE MODE. USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:AEROSOL CANS MAY BURST OVE R 130F AND ADD TO EXISTING FIRE.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. VENTILATE AREA. MOP UP OR REMOVE WITH NON-FLAMMABLE ABSORBENT MATERIALS. PUT INTO CONTAINER. DISPOSE AS HAZARDOUS WASTE. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions: STORE IN A COOL, VENTILATED AREA BELOW 130F. DO NOT SPRAY AROUND ARCS OR

FLAME. STORE AWAY FROM HEAT SOURCES.

Other Precautions:"EMPTY" CONTAINERS MAY RETAIN RESIDUE AND CAN BE DANGEROUS. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. DO NOT BREATHE VAPORS/MIST. DO NOT TAKE INTERNA LLY.

Respiratory Protection: IF SPRAYING IN ENCLOSED, UNVENTILATED SPACE, WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR RESPIRATOR WITH OR GANIC VAPOR CARTRIDGES. Ventilation:ADEQUATE Protective Gloves:NITRILE RUBBER IF EXPOSURE UNAVOIDABLE Eye Protection: CHEMICAL SAFETY GOGGLES IF SPRAYING Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, LONG SLEEVE AND LONG PANTS Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health KEY1:J7. FORMULA CHANGED. FOR PREVIOUS FORMULATIONS AND OTHER PARTS OF KIT, SEE PNI A/B/C/D/E/F/G/H/I/J, SAME NSN. ======== HCC:V3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:135F (BULK) Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN Vapor Pres:5429 @ 75F Vapor Density:3

Spec Gravity:0.88 Evaporation Rate & amp; Reference:0.7 (ETHER=1) Solubility in Water:100% Appearance and Odor:WHITISH LIQUID Percent Volatiles by Volume:85

Stability Indicator/Materials to Avoid:YES NONE Stability Conditio n to Avoid:TEMPERATURES ABOVE 130 F. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, SOOT

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. SEND TO A LICENSED WASTE FACILITY FOR PROPER DISPOSAL OF EPA HAZARDOUS WASTE NUMBERS F003 AND D001.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.