

SALATHE OIL CO INC -- LUBRICATING OIL, STEAM-CYLINDER, MINERAL (MIL-L-53074) --
9150-00-243-3192

===== Product Identification =====

Product ID:LUBRICATING OIL, STEAM-CYLINDER, MINERAL (MIL-L-53074)

MSDS Date:01/01/1994

FSC:9150

NIIN:00-243-3192

MSDS Number: BTHTC

=== Responsible Party ===

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

City:HARVEY

State:LA

ZIP:70058

Country:US

Info Phone N

um:504-366-4542

Emergency Phone Num:504-366-4542

CAGE:0T5C6

=== Contractor Identification ===

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

===== Composition/Information on Ingredients =====

Ingred Name:RESIDUAL OILS, HYDROTREATED

CAS:64742-57-0

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Ident

ification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) NONE SPECIFIED BY MANUF.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:HIGH VAPOR LEVELS MAY CAUSE EYE IRRITATION. THE LIQUID IS SLIGHTLY IRRITATING TO THE SKIN.

PROLONGED OR REPEATED CONTACT CAN RESULT IN DEFATTING AND DRYING WHICH MAY RESULT IN SKIN IRRITATION AND DERM ATITIS. INHALATION OF VAPORS MAY BE IRRITATING

TO NOSE & LUNGS. INGESTION MAY CAUSE VOMITING

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:PREEXISTING EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING

EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ATTENTION.

INHALATION: REMOVE TO FRESH AIR. GIVE MOUTH-TO-MOUTH RESUSCITATION IF NOT BREATHING. GET MEDICAL ATTENTION. INGESTION: OBSERVE FOR SIGNS OF STOMACH DISCOMFORT OR NAUSEA. IF SYMPTOMS PERSIST, SEEK MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE

WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:STOP SPILL AT SOURCE IF POSSIBLE WITHOUT RISK. CONTAIN SPILL. ELIMINATE SOURCES OF IGNITION. SPI

ALL AREA WILL BE

SLICK. RECOVER ALL POSSIBLE MATERIAL FOR RECLAMATION. USE
NON-FLAMMABLE ABSORBENT MATERIAL TO PICK UP REMAINDER OF SPILL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP LIQUID/VAPOR AWAY FROM HEAT,
SPARKS & FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE. USE WITH
ADEQUATE VENTILATION. IGNITED VAPORS MAY EXPLODE.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal
Protection =====

Respiratory Protection:NOT NORMALLY NEEDED. RESPIRATORS SHOULD BE USED
IN AREAS WHERE VAPOR CONCENTRATIONS ARE EXCESSIVE DUE TO HIGH
TEMPERATURES OR WHERE OIL MISTING OCCURS.

Ventilation:ADEQUATE VENTILATION IS REQUIRED WHERE EXCESSIVE HEATING OR
AGITATION MAY OCCUR TO MAINTAIN CONCENTRATION BELOW LIMITS.

Protective Gloves:SOLVENT RESISTANT

Eye Protection:USE CHEMICAL SAFETY GOGGLES & FACESHIELD

Other Protective Equipment:INDUSTRIAL WORK CLOTHING TO MINIMIZE

E

CONTACT. RUBBER APRON AND BOOTS AS REQUIRED. EYE BATH AND SAFETY
SHOWER RECOMMENDED.

Work Hygienic Practices:WASH THOROUGHLY AFTER USING PRODUCT AND BEFORE
EATING, DRINKING OR SMOKING. LAUNDRY CONTAMINATED CLOTHING BEFORE
REUSE.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Solubility in Water:NEGLIGIBLE

Appearance and Odor:THIS PRODUCT IS CLASSIFIED AS AN OIL, NO OTHER
IDENTIFICATION ON MSDS.

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES
OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND
OTHER HYDROCARBON COMPOUNDS DURING COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this

information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.