

JET-LUBE, INC. -- V-2 -- 8030-00-201-0996

=====  
Product Identification  
=====

Product ID:V-2  
MSDS Date:11/03/1992  
FSC:8030  
NIIN:00-201-0996  
MSDS Number: BTJLZ  
=== Responsible Party ===  
Company Name:JET-LUBE, INC.  
Address:4849 HOMESTEAD ROAD  
Box:21258  
City:HOUSTON  
State:TX  
ZIP:77226  
Country:US  
Info Phone Num:713-674-7617  
Emergency Phone Num:713-674-7617  
Preparer's Name:D A OLDIGES  
CAGE:KO337  
=== Co  
ntractor Identification ===  
Company Name:JET-LUBE INC  
Address:4849 HOMESTEAD RD  
Box:21258  
City:HOUSTON  
State:TX  
ZIP:77026  
Country:US  
CAGE:0A307  
Company Name:JET-LUBE, INC.  
Address:4849 HOMESTEAD ROAD  
Box:21258  
City:HOUSTON  
State:TX  
ZIP:77226  
Phone:(713) 674-7617  
CAGE:KO337

=====  
Composition/Information on Ingredients  
=====

Ingred Name:GLYCOL ETHER DPM  
CAS:34590-94-8  
RTECS #:JM1575000  
Fraction by Wt: 17% MAX  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE EXPECTED  
Effects of Overexposure:MINOR EYE AND RESPIRATORY IRRITATION

===== First Aid Measures =====

First Aid:INHALATION: MOVE SUBJECT TO FRESH AIR. CONSULT PHYSICIAN.  
INGESTION: IF INGESTED, CALL PHYSICIAN. EYES: FLUSH WITH WATER FOR  
15 MINTUES. CONSULT PHYSICIAN. SKIN: WASH THOROUGHLY.

===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:235F,113C  
Extinguishing Media:WATER, FOAM, CO2, DRY CHEMICAL, OR VAPORIZING  
LIQUID-TYPE EXTINGUISHING AGENTS.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
COMPLETE PERSONAL PROTECTIVE EQUIPMENT WHEN POTENTIAL FOR EXPOSURE  
TO VAPOR OR PRODUCTS OF COMBUSTION EXISTS.  
Unusual Fire/Explosion Hazard:SOLVENT VAPORS ARE COMBUSTIBLE AND  
HEAVIER THAN AIR AND CAN  
TRAVEL LONG DISTANCES TO SOURCES OF  
IGNITION AND FLASHBACK.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH DIATOMACEOUS EARTH, WIPE WITH  
WASTE RAGS TO PREVENT FOOT HAZARD.

===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE NEAR HEAT, SPARKS, OR OPEN  
FLAMES.  
Other Precautions:AVOID EXCESSIVE INHALATION OF VAPOR AND EYE AND SKIN  
CONTACT.

===== Expos

ure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR CARTRIDGE OR  
CANISTER RESPIRATOR.

Ventilation:CONVENTIONAL VENTILATION ADEQUATE.

Protective Gloves:NONPERMEABLE

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NOT REQUIRED

Work Hygienic Practices:AFTER HANDLING, WASH HANDS BEFORE EATING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>372F,>189C

Vapor Pres:0

.6

Vapor Density:>1.1

Spec Gravity:1.38 (H2O=1)

Evaporation Rate & Reference:0.02 (N-BUTYL ACETATE=1)

Solubility in Water:SLIGHT

Appearance and Odor:WHITE VISCOUS PASTE, MILD KETONE-TYPE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXYGEN AND STRONG OXIDIZERS

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES AROUND UNCURED  
MATERIAL.

Hazardous Decomposition Products:CO AND CO2 EVOLVED ON BURNING OR  
THERMAL D  
ECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED INCINERATION OR BURY IN APPROVED  
LANDFILL. CONSULT GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability

for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.