

PYRAMID PLASTICS INC TOLBER DIV -- C-1452 PRIMER FOR MIL-P-20689D -- 8030-00-957-6542

=====
Product Identification
=====

Product ID:C-1452 PRIMER FOR MIL-P-20689D

MSDS Date:01/25/1991

FSC:8030

NIIN:00-957-6542

MSDS Number: BTPKR

=== Responsible Party ===

Company Name:PYRAMID PLASTICS INC TOLBER DIV

Address:220 W 5TH ST

City:HOPE

State:AR

ZIP:71801-5212

Country:US

Info Phone Num:501-777-3251

Emerg

ency Phone Num:800-264-2535 EXT 2584

CAGE:59460

=== Contractor Identification ===

Company Name:PYRAMID PLASTICS INC, TOLBER DIVISION

Address:220 W 5TH ST

City:HOPE

State:AR

ZIP:71801-5212

Country:US

Phone:501-777-5759

CAGE:59460

=====
Composition/Information on Ingredients
=====

Ingred Name:LIGHT ALIPHATIC NAPHTHA, VM & P NAPHTHA, LACOLENE *93/4*

CAS:64742-89-8

Fraction by Wt: 5-10%

OSHA PEL:300 PPM

ACGIH TLV:300 PPM

Ingred Name:2-BUTANONE (METHYL ETHYL KETONE) (MEK)

CAS:78-

93-3
RTECS #:EL6475000
Fraction by Wt: 40-50%
Other REC Limits:590 MG/CUM
OSHA PEL:200 PPM
ACGIH TLV:590 MG/CUM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 10-20%
Other REC Limits:375 MG/CUM
ACGIH TLV:100 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:CELLOSOLVE (2-ETHOXYETHANOL), DOWANOL EE, ETHYLENE GLYCOL
ETHYL ETHER, OXITOL
CAS:110-80-5
RTECS #:KK8050000
Fraction by Wt: 5-10%
Other REC Limits:19 MG/CUM
OSHA PEL
:200 PPM
ACGIH TLV:18 MG/CUM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION. INHALATION: LUNG
IRRITATION. SKIN: IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION.
Medical Cond Aggravated by Exposure:SKIN, EYE, LUNG DISORDERS.

=====

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC

Flash Point:26F

Lower Limits:2

Upper Limits:12

Extinguishing Media:CO2, DRY CHEMICAL, ALCOHOL FOAM

Fire Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:MATERIAL IS HIGHLY VOLATILE. VAPORS ARE HEAVIER THAN AIR & MAY TRAVEL TO AN IGNITION SOURCE & FLASH BACK.

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. DIKE SPILL AREA W/SOIL/OTHER INERT MATERIAL. SOAK UP W/ABSORBENT MATERIAL & STORE IN CLOSED CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM HEAT/IGNITION SOURCES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WEAR NIOSH-APPROVED RESPIRATOR.

Ventilation:LOCAL EXHAUST: SUFFICIENT TO KEEP EXPOSURE BELOW TLV.

Protective Gloves:SOLVENT RESISTANT.

Eye Protection:SPLASH GOGGLES.

Other Protective Equipment:IMPERVIOUS CLOTHES & BOOTS.

Work Hygienic Practices:NORMAL CLEANLINESS SHOULD BE OBSERVED.

Supplemental Safety and Health

=====
Physical/Chemical Pro

erties =====

Boiling Pt:B.P. Text:152F

Vapor Density:>1

Spec Gravity:0.91

Evaporation Rate & Reference:(BU AC = 1): 2

Appearance and Odor:WHITE LIQUID W/KETONE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:EXCESSIVE HEAT & IGNITION SOURCES.

Hazardous Decomposition Products:CO, CO2, SMOKE IN FIRE.

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.