View NSN Online: https://aerobasegroup.tw/nsn/2540-01-033-1831

Product ID:QUICKBOND 602;78-4507,ADHESIVE-PART 1 MSDS Date:02/20/1994 FSC:2540 NIIN:01-033-1831 Kit Part:Y **MSDS Number: BTRKM** === Responsible Party === Company Name: NATIONAL STARCH AND CHEMICAL CORP Address:10 FINDERNE AVE Box:6500 City:BRIDGEWATER State:NJ ZIP:08807 Co untry:US Info Phone Num:908-685-5379 Emergency Phone Num:908-685-5000 Preparer's Name: PHILIP A.TOSCANO CAGE:85091 === Contractor Identification === Company Name: DORMAN PRODUCTS INC. Address:1 DORMAN DR Box:City:WARSAW State:KY ZIP:41095 Country:US Phone:606-567-7000 CAGE:72741 Company Name: NATIONAL STARCH AND CHEMICAL CORP Address:10 FINDERNE AVE Box:6500 City:BRIDGEWATER State:NJ ZIP:08807 Country:US Phone:908-685-5379; FAX:908685-5306 CAGE:85091

======= Composition/Information on Ingre

dients ==========

Ingred Name:HYDROXYETHYLMETHACRYLATE CAS:868-77-9 RTECS #:OZ4725000 Fraction by Wt: >1% Other REC Limits:NONE RECOMMENDED ACGIH TLV:3000PPM

Ingred Name:URETHANE DIMETHACRYLATE CAS:39318-69-9 Fraction by Wt: >1% Other REC Limits:NONE RECOMMENDED

Ingred Name:N-MESYL-PARA-TOLUENESULFONAMIDE CAS:14653-91-9 Fraction by Wt: >1% Other REC Limits:NONE RECOMMENDED

Ingred Name:METHACRYLIC ACID CAS:79-41-4 RTECS #:OZ2975000 Fraction by Wt: >1% Other REC Limits:NONE RECOMMENDED OSH A PEL:S, 20 PPM ACGIH TLV:20 PPM; 9394

Ingred Name:VOLATILE ORGANIC COMPOUNDS RTECS #:9999999VO Fraction by Wt: 5.5% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:EYES:CORROSIVE.MAY CAUSE IRRITATION.SKIN: CORROSIVE.MAY BE DERMALLY ABSORBED IN HARMFUL AMOUNTS.MAY CAUSE IRRITATION. INGE

 ST:CORROSIVE.MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITAT ION. Explanation of Carcinogenicity:METHYL AND ETHYL ACRYLATES ARE SUSPECTED CARCINOGENS. Effects of Overexposure:SKIN:RASH,DERMATITIS. Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN,EYES, DIGESTIVE TRACT AND RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING; WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,GIVE MILK OR WATER TO DILUTE STOMACH CONTENTS.
======================================
Flash Point Method:SCC Flash Point:218F,103C Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM,WATER FOG. Fire Fighting Procedures:USE A SELF-CO NTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG. Unusual Fire/Explosion Hazard:THIS PRODUCT POLYMERIZES AT HIGHER TEMPERATURES.FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.
======================================
Spill Release Procedures:SOAK UP SMALL AMOUNTS WITH A NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIEL IN AN APPROPRIATE CONTAINER FOR DISPOSAL.LARGER AMOUNTS SHOULD BE SOL IDIFIED WITH A SURFACE ACTIVATOR AND HANDLED AS SOLID WASTE. Neutralizing Agent:ANEROBIC SURFACE CONDITIONER.
======================================
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE.AVOID DIRECT SUNLIGHT. Other Precautions:MAXIMUM STORAGE TEMPERATURE IS 100F.
======================================

Respiratory Protection:WHERE ENVIRONMENTAL CONTRO

LS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS. Ventilation:USE GENERAL DILUTION VENTILATION. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES WITH FACE SHIELD. Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health KEY1;T4.

================ Physical/Chemical

Properties ==============

HCC:T4 Boiling Pt:B.P. Text:POLYMERIZES Vapor Pres:0.01 Vapor Density:5.0 Spec Gravity:1.1 Evaporation Rate & amp; Reference: