

WESTERN DUPLICATING SUPPLIES -- R-64-1001 EPL LASER TYPE TONER -- 6850-01-321-0640  
===== Product Identification =====

Product ID:R-64-1001 EPL LASER TYPE TONER  
MSDS Date:03/01/1991  
FSC:6850  
NIIN:01-321-0640  
MSDS Number: BTRRT  
=== Responsible Party ===  
Company Name:WESTERN DUPLICATING SUPPLIES  
Address:5602 2ND AVE SOUTH  
Box:80351  
City:SEATTLE  
State:WA  
ZIP:98108  
Country:US  
Info Phone Num:206-767-53  
23  
Emergency Phone Num:206-767-5323  
CAGE:OJPG6  
=== Contractor Identification ===  
Company Name:WESTERN DUPLICATING SUPPLIES  
Address:5602 2ND AVE SOUTH  
Box:80351  
City:SEATTLE  
State:WA  
ZIP:98108  
Country:US  
Phone:206-767-5323  
CAGE:OJPG6

===== Composition/Information on Ingredients =====

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
Fraction by Wt: 5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3; 9394

Ingred Name:THE MANUFACTURER STATES THAT

OTHER INGREDIENTS NOT

CONSIDERED HAZARDOUS UNDER THE FED HAZ COMMUNICATIONS REGULATIONS.

RTECS #:9999999ZZ

Fraction by Wt: 95%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT KNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EXCESSIVE INHALATION CAN CAUSE  
IRRITATION TO THE RESPIRATORY SYSTEM.

Effects of Overexpos

ure:IRRITATION OF THE RESPIRATORY SYSTEM:COUGHING,  
TIGHTNESS IN CHEST.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER. SKIN:WASH WITH SOAP AND WATER.

INGEST:RINSE MOUTH WITH WATER. CONSULT PHYSICIAN FOR MEDICAL  
ADVICE. INHAL:REMOVE FROM EXPOSURE TO FRESH AIR.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:FOAM, DRY CHEM  
ICAL, CARBON DIOXIDE.

Fire Fighting Procedures:NONE. HOWEVER USE APPROPRIATE SAFETY  
EQUIPMENT.

Unusual Fire/Explosion Hazard:MATERIAL IS COMBUSTIBLE IN A MIXTURE WITH  
AIR.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ANY SOURCE OF IGNITION. MAY BE SWEEP  
UP. AVOID DUST INHALATION (USE DUST MASK IF NECESSARY).

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE.

Other Precautions:NONE KNOWN.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NONE REQUIRED. IF NEED BE USE OSHA APPROVED DUST MASK OR RESPIRATOR.

Ventilation:NORMALLY NONE REQUIRED. HOWEVER USE LOCAL EXHAUST SYSTEM.

Protective Gloves:NORMALLY NONE REQUIRED.

Eye Protection:NORMALLY NONE REQUIRED.

Other Protective Equipment:NONE.

Work Hygienic Practices:WASH HANDS AFTER HANDLING MATERIAL.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.5-1.7

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FINE BLACK POWDER, MILD RESINOUS ODOR.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:POSSIBLE CARBON MONOXIDE AND CARBON DIOXIDE DURING THERMAL DECOMPOSITION.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS (GOVERNMENTAL REGULATIONS).

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be a

ccurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.