

NATIONAL DIAGNOSTICS INC -- OPTICLEAR,OE-101 -- 6850-01-393-9065

===== Product Identification =====

Product ID:OPTICLEAR,OE-101

MSDS Date:04/08/1991

FSC:6850

NIIN:01-393-9065

MSDS Number: BTTXB

=== Responsible Party ===

Company Name:NATIONAL DIAGNOSTICS INC

Address:1013-1017 KENNEDY BLVD

City:MANVILLE

State:NJ

ZIP:08835

Country:US

Info Phone Num:908-722-8600

Emergency Phone Num:908-722-8600,800-4

24-9300(CHEMTREC)

Preparer's Name:NONE

CAGE:58215

=== Contractor Identification ===

Company Name:NATIONAL DIAGNOSTICS INC

Address:1013-1017 KENNEDY BLVD

Box:City:MANVILLE

State:NJ

ZIP:08835

Country:US

CAGE:58215

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENTS (GENERALLY REGARDED AS SAFE)

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5

G/KG.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: CAN CAUSE SKIN IRRITATION.

CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:CAN CAUSE SKIN IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER

. IF IRRITATION

PERSISTS, GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:140F,60C

Extinguishing Media:DRY POWDER, FOAM, CARBON DIOXIDE.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND FULL FACE-PIECE SCBA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. USE CLASS B FIRE PROCEDURES.

Unusual Fire/Explosion Hazard:CO

MBUSTIBLE LIQUID. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS SHOULD BE ABSORBED BY DIRT, SAND OR OTHER SUITABLE ABSORBENTS FOR DISPOSAL. LARGE SPILLS CAN BE DIKED WITH DIRT, THEN PUMPED TO TANK TRUCK FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE THE USUAL PRECAUTIONS FOR COMBUSTIBLE LIQUIDS.

Other Precautions:ALL HANDLING EQUIPMENT SHOULD BE ELECTRICALLY GROUNDED.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF VAPOR CONCENTRATION BECOMES HIGH, USE SELF-CONTAINED AIR MASK.

Ventilation:LOCAL EXHAUST SHOULD BE ADEQUATE.

Protective Gloves:POLYETHYLENE, NEOPRENE, PVC, PVA.

Eye Protection:CHEMICAL SPLASH GOGGLES, FACE SHIELD.

Other Protective Equipment:NONE NORMALLY RE

REQUIRED.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:355F,179C

Vapor Pres:6.0

Vapor Density:4.69

Spec Gravity:0.85

Evaporation Rate & Reference:0.4 (BU ACETATE=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:COLORLESS, MOBILE LIQUID. CITRUS ODOR.

Percent Volatiles by

Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME.

Hazardous Decomposition Products:NONE KNOWN.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS. MATERIAL IS GENERALLY R
EGARDED AS SAFE,
NON-HAZARDOUS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this inf

ormation to their
particular situation.