View NSN Online: https://aerobasegroup.com/nsn/8040-00-883-7108

Product ID:TRA-BOND 2101 HARDENER, PART B

MSDS Date:01/07/1992

FSC:8040

NIIN:00-883-7108

Kit Part:Y

MSDS Number: BTWBG === Responsible Party === Company Name:TRA-CON INC Address:55 NORTH STREET

Box:3933

City:MEDFORD

State:MA

ZIP:02155-4225 Country:US

Info Phone Num:617-391-5550 FAX 617-381-7380

Ε

mergency Phone Num:617-391-5550

CAGE:22835

=== Contractor Identification === Company Name:TRA-CON INC

Address:55 NORTH ST

Box:3933

City:MEDFORD

State:MA

ZIP:02155-4225

Country:US

Phone:617-391-5550

CAGE:22835

======= Composition/Information on Ingredients ========

Ingred Name:REACTED MIXTURE BASED ON DIETHYLENETRIAMINE &/OR SIMILAR ISOMERS & HOMOLOGS.

CAS:111-40-0

RTECS #:IE1225000 Fraction by Wt: 80-100%

Other REC Limits: NONE RECOMMENDED

Ingred Name: OTHER INGRED IF ANY PER O

SHA 1910.1200G2IC1 COMPOSED >1% OF COMPOSITION &/OR NONHAZ OR NOT LISTED ON MASS HAZ SUB LIST. RTECS #:9999999ZZ Fraction by Wt: 500MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE OR MOUTH CONTACT MAY CAUSE SERIOUS BURNS; MATERIALS IS ALSO A STRONG SENSITIZER. Explanation of Carcinogenicity: PER MSDS CARCINOGEN NONE. Effects of Overexposure: EYE/MOUTH BURNS. STRONG SENSITIZER. Medical C ond Aggravated by Exposure: NONE SPECIFIED BY MFG. First Aid:EYE:FLUSH W/WATER. GET MED ATTN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING. INHAL: REMOVE TO FRESH AIR. INGEST: NO KNOWN ANTIDOTE. GIVE MILK OR WATER. DO NOT INDUCE VOMITING IF SWALLOWED, G ET MED ATTN. ============ Fire Fighting Measures ========================= Flash Point Method:SCC Flash Point:>200F,>93C Extinguishing Media: DRY CH EMICALS, CHEMICAL FOAM, CARBON DIOXIDE, WATER. Fire Fighting Procedures: AVOID BREATHING SMOKE. ADDITION OF WATER MAY REDUCE FLAME INTENSITY. Unusual Fire/Explosion Hazard: TOXIC GASS MAY BE LIBERATED; HANDLE AS COMBUSTIBLE; STORE IN A COOL PLACE. ======== Accidental Release Measures ============ Spill Release Procedures: PREVENT SKIN & EYE CONTACT. SOAK UP IN ABSORBENT MATERIAL, OR SCRAPE UP, & TRANSFER TO DISPOSAL CONTAINER. WIPE UP REMAINING RESIDUE W/SOLV ENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS, OR USE DETERGE NTS. Neutralizing Agent: NONE SPECIFIED BY MFG. ============= Handling and Storage ========================== Handling and Storage Precautions: FOR INDUSTRIAL USE ONLY: WARNING! MAY CAUSE SENSITIZATION, IRRIT, OR OTHER ALLERGIC RESPONSES. AVOID EYE &/OR SKIN CONTACT & PROLONGED INHAL OF VAPORS. Other Precautions:STORE IN COOL PLACE IN CLOSED CONTAINERS. ===== Exposure Controls/Personal Protection =======

Respiratory Protection: AIR SUPPLIED OR ORGANIC CANISTER, MASK IN CONFINED AREAS.

Ventilation:LOCAL EXHAUST & MECHANICAL (GENERAL) ARE RECOMMENDED.

Protective Gloves: RUBBER OR PLASTIC DISPOSABLE GLOVES.

Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: AS REQUIRED TO PREVENT ALL BODY CONTACT. EYE BATH &/OR SAFETY SHOWER.

Work Hygienic Practices: WASH HANDS AFTER HANDLING & PRIOR TO EAT/DRINK/SMOKE. LAUNDER CONTAMINATED CLOTHING PRIOR TO REUSE.

Supplemental Safet

y and Health

PART B OF 2-PART KIT. FOR PART A SEE PN:B. HCC:J8-PER MSDS HANDLE AS COMBUSTIBLE & FLASH PT LESS THAN 305F FOR RESIN.

======== Physical/Chemical Properties ===========

HCC:V4

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:2 Spec Gravity:1.08

Evaporation Rate & Deference: LOW.

Solubility in Water: PARTIAL.

Appearance and Odor:CLEAR, LIGHT AMBER, LOW VISCOSITY LIQUID,

AMMONIACAL ODOR.

Percent Volatiles by Volume: