

EASTMAN KODAK COMPANY -- 100 1866;E-6 COLOR DEVELOPER REPLENISHER;WRK
SOL;KAN444508 -- 6750-01-041-8683

===== Product Identification =====

Product ID:100 1866;E-6 COLOR DEVELOPER REPLENISHER;WRK SOL;KAN444508

MSDS Date:07/14/1993

FSC:6750

NIIN:01-041-8683

Kit Part:Y

MSDS Number: BVBX

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:

14650

Country:US

Info Phone Num:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/

Information on Ingredients =====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 400MG/KG INGRED #3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY

CAUSE IRRITATION.INGEST:MAY CAUSE GI TRACT

IRRITATION.INHAL:EXPECTED TO BE A LOW HAZARD

.MAY CAUSE RESPIRATORY

IRRITATION.CHRONIC:MAY DAMAGE KIDNEYS.

Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:SKIN:ALLERGIC SKIN REACTIONS.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING KIDNEY

AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER
AND A

NON-ALKALINE SKIN CLEANER.GET MEDICAL ATTENTION IF SYMPTOMS

OCCUR.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH

AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT

INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF

CONSCIOUS,GIVE 1-2 GLASSES OF WATER.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:USE A SELF

-CONTAINED BREATHING APPARATUS AND

FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT

ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIEL IN AN APPROPRIATE

CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE

SLIPPERINESS.FLUSH SMALL SPILLS TO SEWER WITH PLENTY OF WATER IF

PH IS BETWEEN 3-12.

Neutralizing Agent:USE A WEA

K ACID(EG.VINEGAR,DILUTE ACETIC ACID).

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE WITH ADEQUATE VENTILATION.KEEP CONTAINERS CLOSED.KEEP AWAY FROM ACIDS.
Other Precautions:FOLLOW LABEL DIRECTIONS.AVOID BREATHING VAPORS.AVOID SKIN AND EYE CONTACT.USE OF A NON-ALKALINE SKIN CLEANER MAY AVOID ALLERGIC SKIN REACTIONS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.
Ventilation:USE GENERAL DILUTION VENTILATION.MFR RECOMMENDS 10 AIR CHANGES/HOUR.USE SUPPLEMENTARY LOCAL EXHAUST AT THE WORKSITE.
Protective Gloves:IMPERVIOUS
Eye Protection:CHEMICAL GOGGLES.
Other Protective Equipment:PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.
Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDRER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.
Supplemental Safety and Health
* * THIS ITEM DELETED BECAUSE OF ERRONEOUS DATA * *

=====
===== Physical/Chemical Properties =====

HCC:B1
Boiling Pt:>100.C, 212.F
Vapor Pres:18
Vapor Density:0.6
Spec Gravity:1.04
pH:12.0
Solubility in Water:COMPLETE
Appearance and Odor:LIQUID;COLORLESS;ODORLESS
Percent Volatiles by Volume:90-95

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ACIDS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER

TURER.

Hazardous Decomposition Products:NOT REPORTED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and di
sclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.