

AVO BIDDLE INSTRUMENTS -- APIEZON GREASE -- 9150-01-135-8460

===== Product Identification =====

Product ID:APIEZON GREASE

MSDS Date:10/01/1989

FSC:9150

NIIN:01-135-8460

MSDS Number: BVBLS

=== Responsible Party ===

Company Name:AVO BIDDLE INSTRUMENTS

Address:510 TOWNSHIP LINE RD

City:BLUE BELL

State:PA

ZIP:19422-2701

Country:US

Info Phone Num:215-646-9200

Emergency Phone Num:215-646-9200

CAGE:MO433

=== Contractor Identification ===

Company Name:AVO BIDDLE INSTRUMENTS

Address:510 TOWNSHIP LINE RD

Box:City:BLUE BELL

State:PA

ZIP:19422

Country:US

Phone:215-646-9200

CAGE:MO433

Company Name:BIDDLE INSTRUMENTS

Address:510 TOWNSHIP LINE RD

Box:City:BLUE BELL

State:PA

ZIP:19422-2701

Country:US

Phone:NOT AVAILABLE

CAGE:07239

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS

OSHA PEL:N/K

ACGIH TLV:N/K

===== Hazards Ident

ification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE LIKELY.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING

(GIVE O\*2/ARTF

RESP) . SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . EYE:FLUSH WITH CLEAN WATER FOR AT LEAST 15 MINUTES. INGEST:DO NOT INDUC E VOMITING. OBTAIN MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:>302F,>150C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL POWDER, SAND OR EARTH.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

=====

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP OR ABSORB WITH SAND, EARTH OR SAWDUST.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilat

ion:NOT REQUIRED.

Protective Gloves:NOT REQUIRED.

Eye Protection:NOT REQUIRED.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:WASH SKIN AFTER CONTACT AND GENERALLY OBSERVE  
GOOD STANDARDS OF HYGIENE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:257F,125C

Vapor Pres:1X10-8@20C

Spec Gravity:0.912 (H\*20=1)

Evaporation Rate & Reference:NEGLIG (BUTYL ACETATE=1  
)

Solubility in Water:INSOLUBLE

Appearance and Odor:BROWN GREASE NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF ACCORDING TO LOCAL REGULATIONS FOR  
MINERAL OILS. DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL  
REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
part

icular situation.