View NSN Online: https://aerobasegroup.tw/nsn/9150-01-135-8460 AVO BIDDLE INSTRUMENTS -- APIEZON GREASE -- 9150-01-135-8460 Product ID:APIEZON GREASE MSDS Date:10/01/1989 FSC:9150 NIIN:01-135-8460 MSDS Number: BVBLS === Responsible Party === Company Name: AVO BIDDLE INSTRUMENTS Address:510 TOWNSHIP LINE RD City:BLUE BELL State:PA ZIP:19422-2701 Country:US Info Phone Num:215-646-9200 Emergency Phone Num:215-646-9200 CAGE:MO433 === Contractor Identification === Company Name: AVO BIDDLE INSTRUMENTS Address:510 TOWNSHIP LINE RD Box:City:BLUE BELL State:PA ZIP:19422 Country:US Phone:215-646-9200 CAGE:MO433

Company Name: BIDDLE INSTRUMENTS

Address:510 TOWNSHIP LINE RD

Box:City:BLUE BELL

State:PA

ZIP:19422-2701 Country:US

Phone: NOT AVAILABLE

CAGE:07239

======= Composition/Information on Ingredients ========

Ingred Name: NON HAZARDOUS INGREDIENTS OSHA PEL: N/K

ACGIH TLV:N/K

====== Hazards Ident

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE LIKELY. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE KNOWN.
======================================
First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP). SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD. EYE:FLUSH WITH CLEAN WATER FOR AT LEAST 15 MINUTES. INGEST:DO NOT INDUC E VOMITING. OBTAIN MEDICAL ATTENTION.
======================================
Flash Point:>302F,>150C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL POWDER, SAND OR EARTH Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE.
====== Accidental Release Measures ===========
Spill Release Procedures:WIPE UP OR ABSORB WITH SAND, EARTH OR SAWDUST. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============= Handling and Storage =============
Handling and Storage Precautions:NONE. Other Precautions:NONE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . Ventilat

ification ==========

Eye Protection:NOT REQUIRED. Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices:WASH SKIN AFTER CONTACT AND GENERALLY OBSERVE GOOD STANDARDS OF HYGIENE. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.
=========== Physical/Chemical Properties ==========
Melt/Freeze Pt:M.P/F.P Text:257F,125C Vapor Pres:1X10-8@20C Spec Gravity:0.912 (H*20=1) Evaporation Rate & DEGLIG (BUTYL ACETATE=1
Solubility in Water:INSOLUBLE Appearance and Odor:BROWN GREASE NO ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE.
======== Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF ACCORDING TO LOCAL REGULATIONS FOR MINERAL OILS. DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL R EGULATIONS .

ion:NOT REQUIRED.

Protective Gloves: NOT REQUIRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their part

