

CHEMENCE, INC -- PIPE JOINT COMPOUND, CDA 148 -- 8030-00-201-0996

=====
Product Identification
=====

Product ID:PIPE JOINT COMPOUND, CDA 148

MSDS Date:11/12/1993

FSC:8030

NIIN:00-201-0996

MSDS Number: BVGHP

=== Responsible Party ===

Company Name:CHEMENCE, INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Info Phone Num:404-664-6624

Emergency Phone Num:404-664-6624

Prep

Preparer's Name:JAY TATE

CAGE:CLEME

=== Contractor Identification ===

Company Name:CHEMENCE, INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Phone:404-664-6624

CAGE:CLEME

Company Name:VERSATILE INDUSTRIAL PRODUCTS, INC

CAGE:6Z186

=====
Composition/Information on Ingredients
=====

Ingredient Name:CLAY

CAS:1332-58-7

RTECS #:GF1670500

Fraction by Wt: 30-35%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 MG/M3 DUST

ACGIH TLV:2 MG/M3 DUST

Ingredient Name:VEGETABL

E OIL
CAS:68439-93-0
Fraction by Wt: 20-25%
Other REC Limits:* 5 MG/M3(MIST RESP)
OSHA PEL:15 MG/M3(MIST DUST)*
ACGIH TLV:10 MG/M3 (MIST)

Ingred Name:ROSIN
CAS:8050-09-7
Fraction by Wt: 15-20%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ISOPROPYL ALCOHOL
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 15-20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM;STEL 500 PPM
ACGIH TLV:400 PPM;STEL 500 PPM

Ingred Name:TALC
CAS:14807-96-6
RTECS #:WW2710000
Fraction by Wt: 5-10%
Other REC Limits:NON
E RECOMMENDED

Ingred Name:SOYBEAN DERIVATIVE
CAS:8002-43-5
Fraction by Wt: 1-3%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 0.1-1%
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLATILE ORGANIC COMPOUND (EPA METHOD 24): 17.0%
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:N

TP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MODERATELY TOXIC BY INGESTION. EYE IRRITANT.

Effects of Overexposure:VAPOR ABOVE TLV IS IRRITATING TO EYES, NOSE, AND THROAT AND CAN CAUSE HEADACHE, DIZZINESS, NAUSEA.

Medical Cond Aggravated by Exposure:SKIN, EYE, AND RESPIRATORY DISORDERS.

=====
===== First Aid Measures =====

First Aid:INGESTION: INDUCE VOMITING. OBTAIN MEDICAL ATTENTION.

INHALATION: REMOVE TO FRESH AIR IF SYMPTOMS PERSIST, OBTAIN MEDICAL

ATTENTION. SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:60.0F,15.6C

Lower Limits:2.3

Upper Limits:12.7

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:FORMS IRRITATING ORGANIC VAPORS BY FIRE OR THERMAL DECOMPOSITION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION. MAINTAIN ADEQUATE VENTILATION. SCRAPE UP AS MUCH AS POSSIBLE AND STORE IN A CLOSED CONTAINER UNTIL DISPOSAL. RESIDUES MAY BE CLEANED WITH ISOPROPYL ALCOHOL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT AND FLAME.

Other Precautions:AVOID PROLONGED BREATHING OF VAPORS. KEEP AWAY FROM EYES.

AVOID PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:MUST BE ADEQUATE TO AVOID EXCEEDING TLV.
Protective Gloves:RUBBER OR PLASTIC GLOVES
Eye Protection:SAFETY GLASSES OR GOGGLES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:180F,82C
Vapor Pres:33 MM
Vapor Density:2.07
Spec Gravity:1.28 @ 77F
Solubility in Water:PARTIAL
Appearance and Odor:BLACK PASTE; ALCOHOLIC
ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE FOLLOWING EPA AND LOCAL REULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America
in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.