View NSN Online: https://aerobasegroup.tw/nsn/6550-01-276-4598

ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC -- FORMALDHYDE (FORMALIN) 10% 6550-01-276-4598

============= Product Identification ========================

Product ID:FORMALDHYDE (FORMALIN) 10%

MSDS Date: 10/28/1991

FSC:6550

NIIN:01-276-4598

MSDS Number: BVQDT === Responsible Party ===

Company Name: ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC

Address:3849 FISHER RD

Box:2219

City:COLUMBUS

State:OH ZIP:43228 Country:US Info Phone

Num:614-790-3333

Emergency Phone Num:800-274-5263

CAGE:7L600

=== Contractor Identification ===

Company Name: ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC

Address:3849 FISHER RD

Box:2219

City:COLUMBUS

State:OH ZIP:43216 Country:US

Phone:614-790-3333 / 800-325-3751

CAGE:7L600

======= Composition/Information on Ingredients ========

Ingred Name: FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000 Fraction by Wt: 3.5-3.9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:SEE 1910.1048

ACGIH T

LV:C 0.3 PPM; A2; 9394 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000 Fraction by Wt: 1-2%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S,200PPM

ACGIH TLV:S,200PPM/250STEL; 94

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: SODIUM PHOSPHATE, DIBASIC (SARA III)

CAS:7558-79-4

RTECS #:WC4500000 Fraction by Wt: 6.5% GRL

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM PHOSPH

ATE, MONOBASIC CAS:7558-80-7 RTECS #:WA19000

RTECS #:WA1900000 Fraction by Wt: 4% GR/L

Other REC Limits: NONE RECOMMENDED

=========== Hazards Identification =================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:STRONGLY IRRITATING TO SKIN, EYES,

RESPIRATORY TRACT AND MUCOSAL MEMBRANES. POISONESS. MAY CAUSE ALLERGIC REACTIONS. MAY CAUSE PERMANENT EYE DAMAGE.

Explanation of Carc

inogenicity: CONTAINS F [50-00-0] WHICH IS

LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.

Effects of Overexposure:INGESTION CAUSES SEVERE GASTROINTESTINAL SYMPTOMS. POISON.

Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS, SKIN CONDITIONS, EYE CONDITIONS.

First Aid:REMOVE TO FRESH AIR IF OVERCOME BY BUMES AND BEGIN RESUCITATION IF NOT BREATHING. INDUCE VOMITTING IF INGESTED, WASH

ALL CONTAMINATED AREAS, SEEK MEDICAL HELP.
======================================
Flash Point Method:PMCC Flash Point:155F,68C Extinguishing Media:FOAM, WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL. Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE. Unusual Fire/Explosion Hazard:FORMS HAZARDOUS FUMES, CARBON MONOXIDE, CARBON DIOXIDE.
========= Accidental Release Measures ============
Spill Release Procedu res:ALLERT PERSONAL, ABSORB IN ABSORBENT MATERIAL, PLACE IN FUME TIGHT CONTAINER. PREVENT RUNOFF TO WATERWAYS OR SWERS. NOTIFY AUTHORITIES OF A SPILL.
======================================
Handling and Storage Precautions:WEAR PROTECTIVE CLOTHING, GLOVES AND MASK DESIGNED FOR FORMALDEHYDE. USE ONLY IN WELL VENTILATED AREA. MONITOR EXPOSURE TO MATERIAL. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Res piratory Protection:FULL FACE SELF-CONTAINED BREATHING APPARATUS. Ventilation:LOCAL EXHAUST-MUST COMPLY WITH REGULATIONS. Protective Gloves:YES, MADE OF MATERIAL RESISTANT. Eye Protection:FULL FACE SHIELD Other Protective Equipment:MATERIALS RESISTANT TO PRODUCT. Work Hygienic Practices:USE CAUTION WHEN HANDLING. MONITOR EXPOSURE TO ATERIAL. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ===========
HCC:V4 Boiling Pt:B.P. Text:214F,101C Vapor P

res:1.3
Vapor Density:1.0
Spec Gravity:1.10
Evaporation Rate & Department Reference: SLOWER THAN ETHER
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR LIQUID WITH STRONG PUNGENT ODOR.
======================================
Oral Wester Program (Marke Palace Assal LVEO
Stability Indicator/Materials to Avoid:YES

STRONG ALKALIS, STRONG ACIDS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

=======================================	Disposal Considerations

Waste Disposal Methods: CONSULT LOCAL, STATE AND FEDERAL AUTHORITIES FOR PROPER DISPOSAL METHODS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.