View NSN Online: https://aerobasegroup.tw/nsn/8030-00-577-4740

Product ID:FED SPEC GUTTER & LAP SEAL MSDS Date:07/27/1990 FSC:8030 NIIN:00-577-4740 MSDS Number: BWCXX === Responsible Party === Company Name: RED DEVIL INC Address: MID AMERICA INDUSTRIAL DISTRICT City:PRYOR State:OK ZIP:74361 Country:US Info Phone Num:918-825-5744 Emergency Phone Num:918-825-5744 CA GE:23577 === Contractor Identification === Company Name: RED DEVIL, INCORPORATED Address:ONE WEBB STREET Box:A City:PRYOR State:OK ZIP:74361 Country:US Phone:918-825-5744 CAGE:23577 Ingred Name:NAPHTHA, MEDIUM ALIPHATIC CAS:64742-88-7 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Ca

rcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION OF DUST GENERATED FROM DRIED PRODUCT MAY CAUSE RESPIRATORY IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY LEAD TO DRYING, IRRITATION AND DERMATITIS. Explanation of Carcinogenicity: THIS PRODUCT DOES NOT CONTAIN INGREDIENTS KNOWN OR SUSPECTED OF BEING CARCINOGENIC AS LISTED IN THE (NTP) ANNUAL REPORT. Effects of Overexposure: HIGH VAPOR CONCENTRATIONS MAY PRODUCE HEADACHE, **DIZZINESS AND N** AUSEA, AND EYE IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid: EYES-IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION FOR IRRITATION. SKIN-WIPE MATERIAL FROM SKIN WITH CLOTH OR PAPER TOWEL, THEN WASH EXPOSED AREA WITH SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION-MOVE VICTIM TO FRESH AIR AND T REAT WITH ARTIFICIAL RESPIRATION IF NEEDED. INGESTION-CONTACT LOCAL POISON CONTROL CENTER. Flash Point:110-115F Autoignition Temp:Autoignition Temp Text:NE Lower Limits:NE **Upper Limits:NE** Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL OR FOAM. Fire Fighting Procedures: USE WATER SPRAY OR FOG TO COOL FIRE-EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT OR FL AMES. 

Spill Release Procedures: DEPENDING ON EXTENT OD SPILL, WEAR PERSONAL PROTECTIVE EQUIPMENT AND REMOVE IGNITION SOURCES. WIPE UP WITH INERT ABSORBENT MATERIAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:COMBUSTIBLE. STORE IN CLOSED CONTAINER IN COOL AREA. Other Precautions:NONE

====== Exposure

Controls/Personal Protection ========

Respiratory Protection: IF TLV IS EXCEEDED, OR FOR SYMPTOMS OF OVEREXPOSURE, WEAR A NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS.
Ventilation: PROVIDE ADEQUATE GENERAL DILUTION VENTILATION.
Protective Gloves: NEOPRENE OR CHEMICAL RESISTANT.
Eye Protection: WEAR CHEMICAL GOGGLES PER SITUATION.
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health NONE

=======

HCC:F4 Boiling Pt:B.P. Text:NE Melt/Freeze Pt:M.P/F.P Text:NE Decomp Temp:Decomp Text:NA Vapor Pres:NE Vapor Density:>1 Spec Gravity:>1.5 pH:NA Viscosity:NE Evaporation Rate & amp; Reference: