

RIVER SIDE MANUFACTURING -- ANTI FOGGING COMPOUND -- 6850-00-754-2672

=====
Product Identification
=====

Product ID:ANTI FOGGING COMPOUND

MSDS Date:03/21/1994

FSC:6850

NIIN:00-754-2672

MSDS Number: BWFNF

=== Responsible Party ===

Company Name:RIVER SIDE MANUFACTURING

Address:10390 BERMUDA CT

City:MOHAVE VALLEY,

State:AZ

ZIP:86440

Country:US

Info Phone Num:602-786-1771

Emergency Phone Num:602-768-7393

Preparer's Name:LARRY LIVELY

CAGE:0ZRN3

=== Contractor Identification ===

Company Name:RIVER SIDE MANUFACTURING

Address:10390 BERMUDA CT

City:MOHAVE VALLEY

State:AZ

ZIP:86440

Country:US

Phone:602-786-1771

CAGE:0ZRN3

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 06%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM;STEL 500 PPM

=====
Hazards Identification
=====

=====
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EXCESSIVE INHALATION MAY CAUSE
INTOXICATION. LIQUID IN THE EYE WILL CAUSE MINOR IRRITATION.
Effects of Overexposure:INTOXICATION

=====
First Aid Measures =====

First Aid:IF INTOXICATED, REMOVE TO FRESH AIR. WASH EYE WITH WATER. IF
LARGE QUANTITY IS SWALLOWED, CONSULT A PHYSICIAN.

=====
Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:120F,49C
Extinguishing Media:WATER SPRAY, DRY CHEMICALS, CO2, OR ALCOHOLIC FOAM.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures =====

Spill Release Procedures:SWEEP INTO PILE, DISPOSE IN SOLID WASTE BIN.
Neutralizing Agent:WATER.

=====
Handling and Storage =====

Handling and Storage Precautions:NORMAL PRACTICE.

=====
Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Protective Gloves:NOT NEEDED
Eye Protection:WEAR SAFETY GLASSES
Other Protective Equipment:NOT NEEDED
Supplemental Safety and Health

=====
Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:195F,91C
Vapor Pres:33
Vapor Density:1
Spec Gravity:0.946
pH:6-9
Evaporation Rate & Reference:2
Solubility in Water:100%
Appearance

and Odor: CLEAR, LIQUID, MILD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE

Stability Condition to Avoid: EXCESSIVE HEAT - OPEN FLAME.

Hazardous Decomposition Products: MAY LIBERATE CARBON MONOXIDE OR CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN SOLID WASTE BIN.

Disclaimer (provided with this information by the compiling agencies):

This informa

tion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.