

ROSE TALBERT PAINT CO -- 16376 IMFLO RUST INHIBITIVE INDUSTRIAL ENAMEL HIGH GLOSS --
8010-01-040-3760

===== Product Identification =====

Product ID:16376 IMFLO RUST INHIBITIVE INDUSTRIAL ENAMEL HIGH GLOSS

MSDS Date:06/24/1993

FSC:8010

NIIN:01-040-3760

MSDS Number: BWGLB

=== Responsible Party ===

Company Name:ROSE TALBERT PAINT CO

Address:901 FRINK ST

City:CAYCE

State:SC

ZIP:29033

Country:US

Info P

hone Num:803-796-0324

Emergency Phone Num:800-796-0324

Preparer's Name:DAVID KELLY

CAGE:0CUY5

=== Contractor Identification ===

Company Name:ROSE TALBERT PAINT CO

Address:901 FRINK ST

Box:City:CAYCE

State:SC

ZIP:29033

Country:US

Phone:803-796-0324

CAGE:0CUY5

===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 21.09%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9

Ingred Name:STODDARD SOLVENT
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 42.5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9394

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY
CAUSE IRRITATION AND DEFATTING.INGEST:MAY CAUSE GI TRACT
IRRITATION.INHAL:MAY CAU
SE RESPIRATORY IRRITATION AND CNS
DEPRESSION.CHRONIC:SOLVENTS MAY CAUSE PERMANENT BR AIN AND CNS
DAMAGE.
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.
Effects of
Overexposure:INHAL:DIZZINESS,HEADACHE,EUPHORIA.SKIN:DERMATITIS,CRAC
KING.
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING BRAIN AND
CNS AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid M
easures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WARM
WATER.EYES:FLUSH WITH LUKEWARM WATER FOR 15 MINUTES.INHAL:REMOVE TO
FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO
NOT INDUCE VOMI TING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF
CONSCIOUS,RINSE MOUTH WITH WATER;GIVE 6-8 OUNCES OF WATER TO DILUTE
STOMACH CONTENTS.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Po

int:107F,42C

Lower Limits:0.7

Upper Limits:6

Extinguishing Media:CLASS B EXTINGUISHER--DRY CHEMICAL,CARBON DIOXIDE,FOAM.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard:A DIRECT WATER STREAM MAY SPREAD BURNING LIQUID.CONTAINERS MAY BURST FROM HEAT OF FIRE.DECOMPOSITION PRODUCT MAY BE TOXIC.

===== Accidental Release Measures =====
===

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION.USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.VENTILATE AREA.SOAK UP WITH A NON-COMBUSTIBLE INERT ABSORBANT(CLAY,SAND);PLACE IN PROPER CONTAINER FOR DISPOSAL.SPILL ON WATER;CALL NATL RESPONSE CTR,800-424-8802.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,SPARKS,FLAMES AND INCOMPATIBLE MATERIALS.

Other Precautions:EMPTY CONTAINERS MAY CONTAIN HAZARDOUS RESIDUE;DISPOSE OF PROPERLY.AVOID BREATHING VAPORS;AVOID SKIN AND EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/PARTICULATES.

Ventilation:LOCAL VENTILATION AT THE WORKSITE
;MECHANICAL(GENERAL)
VENTILATION TO MAINTAIN TLV/PEL.

Protective Gloves:NBR,BUNA N, NITRILE,NEOPRENE.

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Supplemental Safety and Health

THIS ITEM IS LEAD AND CHROMATE FREE.

===== Physical/Chemical Properties ==

=====

HCC:F4
Boiling Pt:B.P. Text:318-383F
Vapor Pres:2.6
Vapor Density:>1
Spec Gravity:1.105
Evaporation Rate & Reference: