

DU PONT E I DE NEMOURS & CO INC -- ACRYLIC LACQUER PRIMERS AND SEALERS,131 S --
8010-00-687-8191

===== Product Identification =====

Product ID:ACRYLIC LACQUER PRIMERS AND SEALERS,131 S

MSDS Date:01/01/1994

FSC:8010

NIIN:00-687-8191

MSDS Number: BWGZJ

=== Responsible Party ===

Company Name:DU PONT E I DE NEMOURS & CO INC

Address:1007 MARKET STREET

Box:1635

City:WILMINGTON

State:DE

ZIP:19898

Country

:US

Info Phone Num:800-441-7515/MSDS 302-774-8303

Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC)

Preparer's Name:T.R. LOUER

CAGE:18873

=== Contractor Identification ===

Company Name:E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ACRYLATE,METHYL METHACRYLATE,METHACRYLIC ACID POLYMER

CAS:25133-97-5

Fra

ction by Wt: 2%

Other REC Limits:NONE RECOMMENDED

Ingred Name:BUTYL BENZYL PHTHALATE (SARA 313) (CERCLA)

CAS:85-68-7

RTECS #:TH9990000

Fraction by Wt: 2%

Other REC Limits:5.0 MG/M3 MFR

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:ETHYL ACETATE (CERCLA)

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 9495

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

2710000
Fraction by Wt: 13%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:20 MPPCF Z-3
ACGIH TLV:2 MG/M3 RDUST; 9495

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 13%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500STEL;9495

Ingred Name:LECTIN
CAS:90320-57-3
RTECS #:OG7570000
Fraction by Wt: 13%
Other REC Limits:NONE RECOMMENDED

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Fraction by Wt: 13%
Other REC Limits:NONE
RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:TOLUENE (SARA 313) (CERCLA)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 13%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9495
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM/150STEL;9495
EPA Rpt Qty:1000 LBS
DOT

Rpt Qty:1000 LBS

Ingred Name:ZINC PHOSPHATE
CAS:7779-90-0
RTECS #:TD0590000
Fraction by Wt: 6%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST

===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR XYLENE IS UNKNOWN.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS, LIVER,
KIDNEY, RESPIRATORY &
GI TRACTS. ACUTE- MAY CAUSE EYE, SKIN,
RESPIRATORY & GI TRACTS IRRITATION. HARMFUL IF
INHALED/INGESTED/ABSORBED THROUGH SKIN. CAN AFFECT CNS. MAY CAUSE
DERMATITIS. CHRONIC- MAY CAUSE SKIN DERMATITIS, CNS, BRAIN, LIVER &
KIDNEY DAMAGE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION OF EYES, SKIN, RESPIRATORY & GI
TRACTS; TEARING, REDNESS AND STINGING OF EYES; BURNING, DRYING AND
CRACKING OF SKIN; NAUSEA, VOMITING, DIARRHEA; DIZZINESS, HEADACHE,

DROWSINESS, WEAKNESS, F ATIGUE, UNCONSCIOUSNESS
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, LIVER,
KIDNEY OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15
MINUTES, HOLDING EYELIDS
OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO
NOT IN DUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY AND HAVE THE
NAMES OF INGREDIENTS AVAILABLE.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point: