

BENCHMARK ENTERPRISES INC -- DERMAPLUS,850 -- 6850-01-371-8039

=====  
Product Identification  
=====

Product ID:DERMAPLUS,850

MSDS Date:01/01/1995

FSC:6850

NIIN:01-371-8039

MSDS Number: BWPWS

=== Responsible Party ===

Company Name:BENCHMARK ENTERPRISES INC

Address:466 LAWNSDALE DRIVE, SUITE D

City:SALT LAKE CITY

State:UT

ZIP:84115

Country:US

Info Phone Num:801-466-8300

Emergency Phone Num:801-466-8300

CAGE:0SC13

=== Contractor Identification ===

Company Name:BENCHMARK ENTERPRISES INC

Address:466 LAWNSDALE DRIVE, SUITE D

Box:City:SALT LAKE CITY

State:UT

ZIP:84115

Country:US

Phone:801-466-8300

CAGE:0SC13

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYVINYLPYRROLIDINONE (INSUFFICIENT AMOUNT TO BE REPORTABLE)

CAS:9003-39-8

RTECS #:TR8370000

Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE (INSUFFICIENT AMOUNT TO BE REPORTABLE)

CAS:102-71-6

RTECS #:KL9275000

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE AND CHRONIC-  
NORMALLY NON-IRRITATING.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

=====  
===== First Aid Measures =====

First Aid:NORMALLY NON-IRRITATING. BATHE WITH WATER IF IRRITATION TO  
EYES OCCURS. CANNOT BE INHALED UNLESS DELIBERATELY ATTEMPTED. SMALL  
AMOUNTS COULD BE INGESTED WITHOUT UNDUE DISCOMFORT.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:DRY CARBON DIOXIDE, HALON GAS

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS. CO

OL CONTAINERS WITH WATER  
SPRAY.

Unusual Fire/Explosion Hazard:PROPELLENT VAPOR IS FLAMMABLE. CONTAINER  
MAY EXPLODE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:COLLECT WITH INERT ABSORBENT MATERIAL.  
TRANSFER TO CONTAINER. FLUSH AREA WITH WATER.

Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 130F AND ABOVE 32F. AVOID  
CRUSHING.

Other

Precautions:KEEP OUT OF REACH OF SMALL CHILDREN.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:OBSERVE NORMAL PRACTICE.

Supplemental Safety and Health

AEROSOL CAN IS NON-FLAMMABLE (FLAME PROJECTION TEST), PER MSDS.

=====  
===== Physical/Chemical Properties =====

HCC:V2

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:=100.C, 212.F

Vapor Pres:6721 @130F

Vapor Density:>1

Spec Gravity:0.94

Evaporation Rate & Reference: