

CONAP INC. (SUBSIDIARY OF CYTEC INDUSTRIES INC) -- CONATHANE CE-1155-35 PART B  
CURATIVE -- 5970-01-106-7108

===== Product Identification =====

Product ID:CONATHANE CE-1155-35 PART B CURATIVE

MSDS Date:11/09/1994

FSC:5970

NIIN:01-106-7108

MSDS Number: BWRLQ

=== Responsible Party ===

Company Name:CONAP INC. (SUBSIDIARY OF CYTEC INDUSTRIES INC)

Address:1405 BUFFALO STREET

City:OLEAN

State:NY

ZIP:1476

0-1139

Country:US

Info Phone Num:716-372-9650

Emergency Phone Num:800-424-9300(CHEMTREC)/202-483-7616

Preparer's Name:MARVIN A. FRIEDMAN,PH.D.

CAGE:MO932

=== Contractor Identification ===

Company Name:CONAP INC. (SUBSIDIARY OF CYTEC INDUSTRIES INC)

Address:1405 BUFFALO STREET

Box:City:OLEAN

State:NY

ZIP:14760-1139

Country:US

Phone:716-372-9650

CAGE:MO932

Company Name:CONAP INC.,WHOLLY OWNED SUBSIDIARY OF CYTEC INDUSTRIES  
INC.

Address:1405 BUFFALO STREET

Box:City:OLEAN

State:NY

ZIP:14760

Coun

try:US

Phone:716-372-9650

CAGE:16245

Company Name:PIEDMONT POLYMERS INC

Address:5025 S ROYAL ATLANTIC DR

Box:188

City:TUCKER

State:GA

ZIP:30084

Country:US

Phone:404-939-5660

CAGE:0GGS8

Company Name:THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19124-3893

Country:US

Phone:215-743-8200

CAGE:2B613

KG.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:DIRECT CONTACT W/MATL MAY CAUSE MODERATE EYE & MILD SKIN IRRIT. INHAL OVEREXPO MAY CAUSE IRRIT OF RESP TRACT. TOLUENE IS A SEVERE EYE & MODERATE SKIN IRRITANT. INHAL OVEREXPO CAUSE HEADACHE, FATIGUE, NAU, CNS DEPRESSION. DELIBERATE INHAL OFHIGH CONC BY PREGNANT WOMEN ADVERSELY EFFECTS FETUS.

Explanation of Carcinogenicity:PER MSDS:

CONTAINS TOLUENE WHICH IS KNOWN

TO STATE OF CA TO CAUSE REPRODUCTIVE TOXICITY.

Effects of Overexposure:MODERATE EYE & MILD SKIN IRRITATION.RESP TRACT IRRIT. HEADACHE, FATIGUE, NAUSEA, CNS DEPRESSION. INTRAUTERINE GROWTH RETARDATION & DELAYED POSTNATAL DEVELOPMENT OF FETUS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN:IMMED WASH W/SOAP & PLENTY OF WATER. EYE:IMMED IRRIGATE

W/PLENTY OF WATER 15MINS. OBTAIN MED ATTN IF IRRIT PERSISTS.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:55.0F,12.8C

Lower Limits:N/AVAILABLE

Upper Limits:N/AVAILABLE

Extinguishing Media:USE CO2, DRY CHEM, WATERSPRAY, ALCOHOL FOAM. WATERSTREAM MAY BE INEFFECTIVE.

Fire Fighting Procedures:USE WATER TO KEEP CNTNRS COOL.WEAR SELF-CONTAINED POSITIVE PRESSURE BREATHING APPARATUS & FULL FIREFIGHTING PROTECTIVE CLOTHING.

Unusual

Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGN SOURCES.EXPO LEVELS UNK WEAR NIOSH APPROVED +PRESS SELF-CONTAINED RESP.EXPO LEVELS KNOWN WEAR SUITABLE RESP.EAR PROT CLOTH/EQPMT/IMPERVIOUS BOOTS.COVER SPILLS W/INERT ABSORBENT MATL.SWEEP U P&PLACE IN WASTE DISPOSAL CNTNR.FLUSH AREA W/WATER

===== Handling and Storage =====

Handling and

Storage Precautions:AVOID SKIN CONTACT.KEEP AWAY FROM  
HEAT/ SPARKS/FLAME.AVOID CONTACT W/EYES/SKIN/CLOTH.KEEP CNTNR  
CLSD.USE W/ADEQ VENTI.AREAS CONTAINING MATL SHOULD(SUP  
Other Precautions:FOOD/BEV/TOBACCO PRODUCTS SHOULD NOT BE  
CARRIED/STORED/ CONSUMED WHERE MATL IS IN USE.RECOMMEND SHOWER AFT  
WORKSHIFT ESPECIALLY IF SIGNIFICANT CONTACT HAS OCCUR.STORE STREET  
CLOTH SEPARATELY FROM WORK CLOTH/PPE.LEAVE WORK CLOTH @WORK.

===== Exposure Controls/Personal Protection  
=====

Respiratory Protection:WHERE EXPOSURES ARE BELOW PERMISSIBLE EXPOUSRE  
LIMIT (PEL) NO RESPIRATOR IS REQUIRED. WHERE EXPO EXCEED THE PEL  
USE RESP APPROVED BY NIOSH FOR MATL & LEVEL OF EXPO. SEE "GUIDE TO  
INDUSTRIAL RESPIRATOR Y PROTECTION" (NIOSH).

Ventilation:WHERE MATL IS NOT USED IN CLOSED SYS GOOD ENCLOSURE/LOC  
EXHA VENTILATION SHOULD BE PROVIDED.

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:CHEM SPLASH PROOF GOGG OR FACE SHIELD

Other Protective Equipment:A

PRONS,WORKPANTS,LONG SLEEVE,WORKSHIRT,  
DISPOSABLE COVERALLS TO PREVENT SKIN CONTACT.EYEWASH EQPMT,SAFETY  
SHOWER.

Work Hygienic Practices:BEF EAT/DRINK/SMOKE WASH FACE/HANDS  
W/SOAP/WATER. (SEE OTH PRECAU)

Supplemental Safety and Health

KEY 1;F3.STORE/HANDLING:HAVE FIRE-SAFE PRACTICES & ELECTR EQPMT IAW  
ELECTRICAL & FIRE PROT CODES(NFPA-30)GOVERNING CLASS I FLAMM LIQ.  
PART B OF TWO PART KIT SEE PNIND:D.

===== Physical/Chemical Properties =====

HCC:

F2

Boiling Pt:B.P. Text:N/AVAILABLE

Melt/Freeze Pt:M.P/F.P Text:N/AVAILABLE

Decomp Temp:Decomp Text:N/AVAILABLE

Vapor Pres:N/AVAILABL

Vapor Density:N/AVAILABL

Spec Gravity:0.93

pH:N/AVAI

Evaporation Rate & Reference: