View NSN Online: https://aerobasegroup.tw/nsn/8010-01-397-3675 ALTERNATIVE MATERIALS TECHNOLOGY, INC -- WATER MASTER WATERBORNE TOP COAT, 99TC, BRUSHABLE -- 8010-01-397-3675 ============= Product Identification ======================== Product ID:WATER MASTER WATERBORNE TOP COAT, 99TC, BRUSHABLE MSDS Date:03/01/1994 FSC:8010 NIIN:01-397-3675 MSDS Number: BXBVP === Responsible Party === Company Name: ALTERNATIVE MATERIALS TECHNOLOGY, INC Address:1266 HUMBOLDT AVENUE City:CHICO State:CA IP:95928 Country:US Info Phone Num:916-894-3585 Emergency Phone Num:916-894-3585 CAGE:0ZXD0 === Contractor Identification === Company Name: ALTERNATIVE MATERIALS TECHNOLOGY, INC Address:1266 HUMBOLDT AVENUE City:CHICO State:CA ZIP:95928 Country:US Phone:916-894-3585 CAGE:0ZXD0 ======= Composition/Information on Ingredients ========= Ingred Name: 1-METHYL-2-PYRROLIDINONE, N-METHYL PYRROLIDONE, (NMP) CAS:872-50-4 RTECS #:UY5790000 Fraction by Wt: 7-8% Other REC Limits:PEL/TLV RECOM:100 **PPM** Ingred Name: VOLATILE ORGANIC CONTENTS (VOC): 200 GRAMS/LITER MINUS WATER; 1.67 POUNDS/GALLON MINUS WATER. RTECS #:9999999VO Other REC Limits: NONE RECOMMENDED Ingred Name: TOTAL VOLATILE EMISSIONS 0.41 POUNDS/GALLON; 50 **GRAMS/LITER** RTECS #:9999999VO Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYE: IRRITATION (DIRECT CONTACT). SKIN

: SLIGHT IRRITATION (REPEATED/PROLONGED CONTACT). INHALATION: (EXTREMELY HIGH CONCENTRATIONS) IRRITATING TO EYES & RESPIRATORY TRACT. SIGNS & SYMPTOMS OF TOXICITY SIMILAR TO THOSE OF SWALLOWING. SWALLOWING: HEADACHE, DIZZINESS, INCOORDINATION, NAUSEA, VOMITING, GENERAL WEAKNESS.

Medical Cond Aggravated by Exposure: MAY AGGRAVATE AN EXISTING DERMATITIS.

First Aid:INGESTION: CALL PHYSICIAN IMMEDIATELY. EYES: IMMEDIATELY

FLUSH EYES THOROUGHLY WITH WATER AND CONTINUE WASHING FOR SEVERAL MINUTES. OBTAIN MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. FLUSH SKIN WITH WATER. INHALATION: REMOVE TO FRESH AIR. SWALLOWING: IF PATIENT IS CONSCIOUS AND HAS A GAG REFLEX, GIVE TWO GLASSES OF WATER. INDUCE VOMITING. OBTAIN MEDICAL ATTENTION.

Flash Point Method:CC

Flash Point: NONCOMBUSTIBLE

Extinguishing Media:TYPE

A, B, C, OR COMBINATION TYPE

Fire Fighting Procedures:WEAR FULL BODY PROTECTIVE CLOTHING AND MESA/NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NO UNUSUAL FIRE OR EXPLOSION HAZARDS KNOWN.

======== Accidental Release Measures ==========

Spill Release Procedures:DIKE AND CONTAIN SPILLS. ABSORB WITH SUITABLE MATERIAL. COLLECT MATERIAL INTO SUITABLE CONTAINERS AND DISPOSE OF PROPERLY.

Handling and Storage Precautions: DO NOT ALLOW PRODUCT TO FREEZE!

====== Exposure Controls/Personal Protection ========

Respiratory Protection:IF ADEQUATE VENTILATION IS NOT MAINTAINED, RESPIRATORS (OSHA/NIOSH APPROVED) MAY BE NECESSARY. IF EXPOSURE TO SPRAY MIST EXISTS, WEAR NIOSH APPROVED ORGANIC VAPOR/PARTICULATE RESPIRATOR.

Ventilation:LOCAL EXHAUST VENTILATION IS RECOMMENDED. Protective Gloves:IMPERVIOUS, CHEMICAL RESISTANT GLOVES Other

Stability

Indicator/Materials to Avoid:YES

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, COUNTY, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disc

laims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.