View NSN Online: https://aerobasegroup.com/nsn/4940-01-373-2763

AMERICAN VELODUR METAL INC. -- 1004 VEL, VELODUR RAPID BASE -- 4940-01-373-2763

Product ID:1004 VEL, VELODUR RAPID BASE MSDS Date:04/01/1994 FSC:4940 NIIN:01-373-2763 Kit Part:Y MSDS Number: BXCDC === Responsible Party === Company Name: AMERICAN VELODUR METAL INC. Address:18 DREW PLACE City:SCITUATE State:MA ZIP:02066 Country:US Info Phone Num:617-545-9100 Emerge ncy Phone Num:617-545-9158 Preparer's Name:SAFETY DEPT CAGE:1L115 === Contractor Identification === Company Name: AMERICAN DURWELD Address:18 DREW PLACE Box:City:SCITUATE State:MA ZIP:02066 Country:US Phone:617-545-9100 CAGE:6X913 Company Name: AMERICAN VELODUR METAL INC. Address:18 DREW PLACE Box:City:SCITUATE State:MA ZIP:02066 Country:US Phone:617-545-9158 CAGE:1L115

Ingred Name: BISPHENOL A-EPICHLOROHYDRIN COPOLYMER CAS: 2506

8-38-6 RTECS #:SL6475000 Fraction by Wt: 35-55% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-SLIGHT IRRITATION OF EYES POSSIBLE. THEREFORE AVOID EYE CONTACT. CHRONIC-SLIGHT SKIN SENSITIZER. Explanation of Carcinogenicity:NOT LISTED Effects of Overexposure:ITCHING Medical Cond Aggravat ed by Exposure:ALLERGY, SKIN CONDITIONS

First Aid:EYES:FLUSH W/WATER FOR 15 MINS. INGESTION:DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER OR MILK. SKIN:WASH THOROUGHLY W/SOAP & WARM WATER. INHALATION:NO DATA

Flash Point Method:COC Flash Point:>481F,>249C Extinguishing Media:DRY CHEMICAL, CO2, FOAM Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF CONTAINED BREATHING EQUIPMENT Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: PREVENT SKIN & EYE CONTACT. REMOVE CONTAMINATED CLOTHING. ABSORB MATERIAL & DISPOSE OF ACCORDING TO STATE & LOCAL REGULATIONS. Neutralizing Agent: MFR GAVE NO INFORMATION ON MSDS.

Handling and Storage Precautions: STORE IN COOL, DRY PLACE - WASH HAND

S

THOROUGHLY AFTER HANDLING MATERIAL. DO NOT TOUCH EYES DURING MATERIAL HANDLING.

Other Precautions:STORE COOL & DRY.

NRC/State Lic Num:NONE Vapor Pres:NIL Vapor Density:>1 Spec Gravity:2.7 Solubility in Water:NIL Appearance and Odor:WHITE/GRAY PASTE-LOW ODOR.

Stability Indicator/Materials to Avoid:YES STRONG ACIDS Stability Condition to Avoid:OPEN FLAME Hazardous Decomposition Products:FROM INCOMPLETE COMBUSTION:OXIDES OF CARBON, ACIDS, AL DEHYDES. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:TRANSPORT TO WASTE DISPOSAL FACILITY IN COMPLIANCE W/STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.