

RALRUBE, INC -- PRESERVATIVE COATING, RUBBER -- 8030-01-282-5626

=====
Product Identification
=====

Product ID: PRESERVATIVE COATING, RUBBER

MSDS Date: 02/01/1993

FSC: 8030

NIIN: 01-282-5626

MSDS Number: BXHBG

=== Responsible Party ===

Company Name: RALRUBE, INC

Address: 36977 FOX GLEN

City: FARMINGTON HILLS

State: MI

ZIP: 48331

Country: US

Info Phone Num: 313-661-0260

Emergency Phone Num: 313-661-0260

CAGE:

NO361

=== Contractor Identification ===

Company Name: RALRUBE INC.

Address: 36977 FOX GLEN

Box: City: FARMINGTON HILLS

State: MI

ZIP: 48331

Country: US

Phone: 248-661-0260, FAX 248-661-3941

CAGE: 6X798

Company Name: RALRUBE, INC

Address: 36977 FOX GLEN

City: FARMINGTON HILLS

State: MI

ZIP: 48331

Country: US

Phone: 313-661-0260

CAGE: NO361

=====
Composition/Information on Ingredients
=====

Ingred Name: PETROLEUM DISTILLATE BLEND

CAS: 64742-47-8

RTECS #: OA5504000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:500 PPM
ACGIH TLV:100 PPM

Ingred Name:VOC: 540 G/L; (4.51 LB/GL)
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION: NAUSEA, VOMITING, DIARRHEA,
GASTROINTESTINAL IRRITATION. EYE: SEVERE IRRITATION, REDNESS,
TEARING AND BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT CAN
CAUSE MODERATE IRRITATION, DERM AT
ITIS TO CERTAIN INDIVIDUALS.
INHALATION: RESPIRATORY IRRITATION, DIZZINESS, NAUSEA, HEADACHE,
FATIGUE.

=====
===== First Aid Measures =====

First Aid:REMOVE PERSON TO FRESH AIR. DO NOT INDUCE VOMITING. KEEP
PERSON WARM. REMOVE PRODUCT FROM SKIN WITH WATERLESS SOAP. WIPE OFF
CLEAN, THEN FOLLOW WITH WARM WATER AND REGULAR SOAP. CALL PHYSICIAN
IF REQU IRED.

=====
===== Fire Fighting Measures =====

Flash Point:145F,6
3C
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM
Fire Fighting Procedures:SCBA & PROTECTIVE CLOTHING SHOULD BE WORN.
VAPORS ARE HEAVIER THAN AIR, MAY BE MOVED BY VENTILATION & IGNITED
BY HEAT, PILOT LIGHTS, SPARKS OR FLAMES.
Unusual Fire/Explosion Hazard:LIQUID MAY DECOMPOSE TO POISONOUS GASSES
OF CO, CO2, NOX AND SMOKE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE OIL ABSORBENT MATERIAL TO CLEAN SPILLAGE.
REMOVE IGNI

TION SOURCES. WORK FROM UP-WIND SIDE. TRANSFER WET
ABSORBENT INTO CNTNR TO REMOVE LIQUID FOR DISPOSAL. PREVENT FLOW OF
LIQUID INTO WATERWAY OR SEWER. USE FLOATING ABSORBENT TO
REMOVE FROM WATER

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM HEAT, SPARKS, FLAMES. STORE
TIGHTLY CLOSED IN WELL VENTED AREA. FOLLOW ESTABLISHED PLANT SAFETY
REGS, PROCEDURES. USE ADEQUATE VENTILATION.

Other Precautions:TO BE APPLIED BY

Y TRAINED PERSONNEL ONLY. USE

OUTDOORS. DIP COAT OR SPRAY. DO NOT SPRAY OR WIPE. BEFORE USE:
CONTACT LOCAL BIOENVIRONMENTAL AUTHORITY. PROTECT AGAINST
INHALATION, EYE & SKIN CONTACT. DO NOT FREEZE OR REFRIGERATE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC VAPOR RESPIRATOR APPROVAL TC-23C-107 OR
EQUIVALENT.

Ventilation:LOCAL EXHAUST: RECOMMENDED. MECHANICAL EXHAUST: RECOMMENDED
FOR CONFINED AREAS.

Protective Gloves:NITR

ILE RUBBER GLOVES-HEAVY DUTY

Eye Protection:CHEMICAL GOGGLES OR FACE SHIELD

Other Protective Equipment:COVERALLS OR APRON. REMOVE STAINS FROM
CLOTHING OR STAINED SURFACES WITH CLEANING SOLVENT. FOLLOW WITH
DILUTED CLOROX.

Work Hygienic Practices:WASH HANDS BEFORE EATING & AT COMPLETION OF
WORK. USE WATERLESS SOAP, WIPE OFF HANDS. FOLLOW WITH REGULAR SOAP
& WARM *

Supplemental Safety and Health

* WATER. DISPOSE OF SOILED CLOTHING.

=====
===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:400F,204C

Vapor Pres:2.6

Vapor Density:5.4

Spec Gravity:.843

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK REDDISH BROWN, MILD PETROLEUM SOLVENT SMELL

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:THERMAL DECOMPOSITION

Hazardous Decomposition Products:MAY FORM TOXIC MATERIALS. CO, CO2,
NOX, VARIOUS HYDROCARBONS

=====
=====

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE AS SOLID AT APPROVED STATE WASTE DISPOSAL PLANTS.THE SAME FOR EMPTY DRUMS. REMOVE LIQUID FROM DRUMS WITH ABSORBENT, THEN DISPOSE OF AS SOLID WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants th
is information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.