View NSN Online: https://aerobasegroup.tw/nsn/6850-01-348-1967

EASTMAN KODAK COMPANY -- 848 8611 KODAK EKTAPLUS TONING STATION -- 6850-01-348-1967

Product ID:848 8611 KODAK EKTAPLUS TONING STATION MSDS Date:04/01/1998 FSC:6850 NIIN:01-348-1967 MSDS Number: BXTNK === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET **City:ROCHESTER** State:NY ZIP:14650 Country:US Info Phone Num:716-477-3194 MSDS : 800-242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

======= Composition/Information on Ingredients ===

Ingred Name:ACRYLATE-DIVINYLBENZENE-STYRENE COPOLYMER/STYRENE ACRYLATE COPOLYMER CAS:60806-47-5 Fraction by Wt: 50 - 55% Other REC Limits:NONE RECOMMENDED

Ingred Name:STRONTIUM FERRITE CAS:12023-91-5 Fraction by Wt: 40 - 45% Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9596

=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION-EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HAMDLING. EYES-NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN-EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION-EXP ECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Eff

ects of Overexposure:OVEREXPOSURE TO CARBON BLACK DUST MAY RESULT IN IRRITATION OF THE RESPIRATORY TRACT AND BENIGN DEPOSITION OF CARBON BLACK IN THE LUNG.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION-IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL AID. EYES-ANY MATERIAL THAT CONTACTS THE EYE SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDI CAL

AID. SKIN-WASH WI TH SOAP & WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WE AR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED. Unusual Fire/Explosion Hazard: POWDERED MATERIAL MAY FORM EXPLOSIVE DUST- AIR MIXTURES. Spill Release Procedures: DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE/ EXPLOSION. SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON. **AVOID RA** ISING DUST. CLEAN SURFACE TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent:NOT RELEVANT Handling and Storage Precautions: KEEP CONTAINER CLOSED. Other Precautions: AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. Respiratory Protection: NONE SHOULD BE NEEDED. Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS Protective Gloves: IMPERVIOUS GLOVES SHOULD BE USED. Eye Protection: MINIMIZE EYE CONTACT. Other Protective Equipment: EYE BATH, SAFETY SHOWER, WASHING FACILITIES. Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING. Supplemental Safety and Health ECOLOGICAL INFORMATION: THIS MATERIAL HAS NOT BEEN TESTED FOR **ENVIR**

ONMENTAL EFFECTS. IN A SPILL SITUATION, THESE MATERIALS MAY BE VISUALLY UNPLEASANT; HOWEVER, IT IS NOT EXPECTED TO CAUSE ADVERSE ENVI RONMENTAL EFFECTS.

HCC:N1 Vapor Pres:NEGLIGIBLE Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK POWDER - SLIGHT ODOR

Stability Indicator/Ma terials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF IRON.

Waste Disposal Methods:CAN BE INCINERATED WHEN IN COMPPLIANCE WITH LOCAL REGULATION. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This info

rmation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.