View NSN Online: https://aerobasegroup.tw/nsn/7930-01-381-3375

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- PROFECTION ADVANCED FLOOR COATING #512 -- 7930-01-381-3375

============= Product Identification ==================

Product ID:PROFECTION ADVANCED FLOOR COATING #512

MSDS Date:02/21/1995

FSC:7930

NIIN:01-381-3375

MSDS Number: BYCTQ === Responsible Party ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST City:PHILADELPHIA

State: PA

ZIP:19123-3803 Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803 Country:US

Phone:215-922-1200

CAGE:93607

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMM

ENDED

Ingred Name: ACRYLIC ACID POLYMER

CAS:25987-66-0

Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

Ingred Name: DIETHYLENE GLYCOL MONOMETHYL ETHER

CAS:111-77-3

RTECS #:KL6125000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

Ingred Name:TRIBUTOXYETHYLPHOSPHATE (LD50 ORAL=9.5 G/KG)

CAS:78-51-3

RTECS #:KJ9800000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

Ingred Name: PHTHALIC ACID, DIBUTYL ESTER

CAS:84-74-2

RTECS #:TI0875000 Fraction by Wt: PROP. Other REC Limits

:NONE RECOMMENDED

OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: POLYETHYLENE EMULSION

CAS:67892-91-5 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: SKIN/EYES: MAY IRRITATE. INGESTION:

MAY CAUSE SEVERE GASTRIC DISTRESS & BLOCKAGE.

Medic

al Cond Aggravated by Exposure:NONE
======================================
First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID. SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS, GET MEDICAL AID. INGESTION: INDUCE VOMITING. GET MEDICAL AID.
======================================
Flash Point Method:TOC Flash Point:NONE TO BOILING Lower Limits:NA Upper Limits:NA Unusual Fire/Explosion Hazard:HEATED MATERIAL MAY LIBERATE TOXIC FUMES; WEAR SCBA.
======== Accidental Release Measures =========
Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM OR SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS OF SLIPPERY FLOORS.
========== Handling and Storage ============
Handling and Storage Precautions:STORE BETWEEN 40-140F. Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE & STORAGE BY SERVICE PERSONNEL ONLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REQUIRED Ventilation:LOCAL Protective Gloves:NOT REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE Supplemental Safety and Health NK
======================================
Boiling Pt:B.P. Text:212F,100C Vapor Pres:=WATER Vapor Density:=WATER Spec Gravity:1.051 pH:8.2 Evaporation Rate & DISPERSES Solubility in Water:DISPERSES Appea

rance and Odor:OPAQUE, WHITE LIQUID W/ACRYLIC ODOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS & OXIDIZERS Stability Condition to Avoid:NONE Hazardous Decomposition Products:CARBON OXIDES & ACRYLATES
======= Disposal Considerations ==========
Waste Disposal Methods: IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.