View NSN Online: https://aerobasegroup.tw/nsn/7930-01-381-3498

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- PURGE FLOOR FINISH

RELIQUIFIER #1055 -- 7930-01-381-3498

Product ID:PURGE FLOOR FINISH RELIQUIFIER #1055

MSDS Date:03/10/1995

FSC:7930

NIIN:01-381-3498

MSDS Number: BYCVL === Responsible Party ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST City:PHILADELPHIA

State:PA

7

IP:19123-3803

Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803 Country:US

Phone:215-922-1200

CAGE:93607

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDE

Ingred Name:2-AMINO ETHANOL

CAS:141-43-5

RTECS #:KJ5775000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3 PPM ACGIH TLV:3 PPM

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:25 PPM ACGIH TLV:25 PPM

Ingred Name:XYLENESULFONIC ACID, SODIUM SALT

CAS:1300-72-7

Fraction by Wt: PROP

Other REC Limits: NONE RECOMMENDED

Ingred Name:SODIUM HYDROXIDE

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: PROP.

Oth

er REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

========= Hazards Identification ===============

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure: CAUSES SKIN/EYE IRRITATION. HARMFUL IF

SWALLOWED. MAY CAUSE SEVERE MUCOSAL DAMAGE & GASTRIC DISTRESS. MAY

CAUSE SYSTEMIC INTOXICATION.

Medical Cond Aggravated by Exposure: CAUSES SKI

N IRRITATION AGGRAVATING DERMATITIS & INHALATION MAY IRRITATE EXISTING BRONCHIAL CONDITIONS.
======================================
First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID. SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS, GET MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, WHITE, GELATIN, OR IF N OT AVAILABLE GIVE LARGE QUANTITIES WATER. GET MEDICAL AID.
======================================
Flash Point Method:TOC Flash Point:NONE TO BOILING Lower Limits:NA Upper Limits:NA Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM OR SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS OF SLIPPERY FLOORS.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE BETWEEN 40-120F. Oth
er Precautions:THOROUGHLY WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE & STORAGE BY SERVICE PERSONNEL ONLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REQUIRED Ventilation:LOCAL Protective Gloves:RUBBER OR LATEX Eye Protection:GOGGLES/SAFETY GLASSES W/SHIELDS. Other Protective Equipment:RUBBER BOOTS SHOULD BE WORN IF WORKING IN STANDING SOLUTIONS. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:212F,100C Vapor Pres:=WATER
Vapor Density:=WATER Spec Gravity:1.035 pH:13.6
Evaporation Rate & Evaporation R
Appearance and Odor:CLEAR, THIN, BLUE LIQUID, SASSAFRAS SCENT
========== Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS & OXIDIZERS Stability Condition to Avoid:NONE Hazardous Decomposition Produc ts:CARBON OXIDES & AMINES
======= Disposal Considerations ===========
•
Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.
Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE, LOCAL

======== Physical/Chemical Properties ==========