

DU PONT E I DE NEMOURS AND CO INC, CHEM. FLUOROCH. -- SUVA MP 66 (R 401 B),8968-3130 --  
6830-01-391-3109

===== Product Identification =====

Product ID:SUVA MP 66 (R 401 B),8968-3130  
MSDS Date:10/05/1996  
FSC:6830  
NIIN:01-391-3109  
MSDS Number: BYRXK  
=== Responsible Party ===  
Company Name:DU PONT E I DE NEMOURS AND CO INC, CHEM. FLUOROCH.  
Address:1007 NARKET STREET  
Box:NONE  
City:WILMINGTON  
State:DE  
Z  
IP:19898  
Country:US  
Info Phone Num:800-441-9442  
Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC)  
CAGE:2S827  
=== Contractor Identification ===  
Company Name:DU PONT FLUOROPRODUCTS  
Address:1007 MARKET STREET  
Box:City:WILMINGTON  
State:DE  
ZIP:19898  
Country:US  
Phone:1-800-441-7515  
CAGE:2S827

===== Composition/Information on Ingredients =====

Ingred Name:CHLORODIFLUOROMETHANE (SARA 313) (CERCLA)  
CAS:75-45-6  
RTECS #:PA6390000  
Fraction by Wt: 61%  
Other REC Limits:NONE RECOMMEND

ED  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM; 9596  
Ozone Depleting Chemical:2

Ingrid Name:ETHANE, 1,1-DIFLUORO  
CAS:75-37-6  
RTECS #:K11410000  
Fraction by Wt: 11%  
Other REC Limits:TWA 1000 PPM 8HR,MFR

Ingrid Name:2-CHLORO-1,1,1,2-TETRAFLUOROETHANE (SARA 313)  
CAS:2837-89-0  
Fraction by Wt: 28%  
Other REC Limits:TWA 1000 PPM 8HR,MFR

===== Hazards Identification =====

LD50 LC50 Mixture:TLV 1,000 PPM/3540 MG/M3,8H TWA(HCFC-22)  
Routes of Entry: Inhalation:YES Skin:NO In  
gestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:CNS, EYE, SKIN, LUNG.  
ACUTE- HARMFUL IF INHALED. MAY CAUSE HEART IRREGULARITIES,  
UNCONSCIOUSNESS OR DEATH. INTENTIONAL MISUSE IS FATAL. VAPOR  
REDUCES OXYGEN & IS HEAVIER THAN AIR. EYE/SK IN CONTACT WITH LIQUID  
CAN CAUSE FROSTBITE. VAPORS CAN CAUSE EYE IRRITATION. INGESTION IS  
UNLIKELY. CHRONIC- UNKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:TEMP  
ORARY NERVOUS SYSTEM DEPRESSION WITH  
ANAESTHETIC EFFECTS SUCH AS DIZZINESS, HEADACHE, CONFUSION,  
INCOORDINATION, LOSS OF CONSCIOUSNESS, IRREGULAR PULSE,  
PALPITATIONS, INADEQUATE CIRCULATION, FROST BITE, IRRITATION,  
BLURRED VISION, TEARING  
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PREEXISTING  
DISEASES OF THE CENTRAL NERVOUS OR CARDIOVASCULAR SYSTEM MAY HAVE  
INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURE.

===== First Aid Measur

es =====

First Aid:GET MEDICAL ATTENTION IF NEEDED. EYE/SKIN:IMMEDIATELY FLUSH WITH PLENTY OF WATER. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:INGESTION IS NOT CONSIDERED A POTENTIAL ROUTE OF EXPOSURE. NOTE TO PHYSICIAN:CATECHOLAMINE DRUGS SHOULD BE USED WITH SPECIAL CAUTION ONLY IN SITUATIONS OF EMERGENCY LIFE SUPPORT.

===== Fire Fighting Measures =====

Flash Point:NONE  
Autoignition Temp:Autoignition Temp Text:1265F  
Lower Limits:NOT RELEVANT  
Upper Limits:NOT RELEVANT  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CYLINDERS.  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. MOVE CYLINDERS FROM FIRE AREA IF POSSIBLE WITHOUT INCREASED PERSONAL RISK.  
Unusual Fire/Explosion Hazard:THIS PRODUCT MAY IGNITE WHEN MIXED WITH AIR ABOVE (60 PSI  
G) OR AT ATMOSPHERIC PRESSURE. CYLINDERS MAY RUPTURE. DECOMPOSITION PRODUCTS ARE TOXIC AND CORROSIVE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA, ESPECIALLY LOW PLACES WHERE VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES. USE SELF-CONTAINED BREATHING APPARATUS FOR LARGE SPILLS OR RELEASES.  
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA, AWAY FROM FLAMES & INCOMPATIBLE MATERIALS. DO NOT HEAT ABOVE 52C/126F.  
Other Precautions:AVOID BREATHING VAPORS. AVOID EYE OR SKIN CONTACT. WASH WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION. NEVER USE IN CONFINED OR CLOSED SPACES WITHOUT PROPER PROTECTIVE EQUIPMENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH-APPROVED SELF

-CONTAINED BREATHING  
APPARATUS OPERATED IN POSITIVE PRESSURE MODE OR SUPPLIED-AIR  
RESPIRATOR WITH FULL FACEPIECE AND OPERATED IN PRESSURE-DEMAND OR  
OTHER POSITIVE PRESSURE MODE IF A LARGE RELEASE OCCURS.  
Ventilation:NORMAL VENTILATION IS SUFFICIENT. LOCAL EXHAUST WHEN LARGE  
AMOUNTS ARE RELEASED, MECHANICAL VENTILATION IN LOW PLACES  
Protective Gloves:LINED BUTYL GLOVES  
Eye Protection:CHEMICAL SPLASH GOGGLES/FACE SHIELD  
Other Protective Equipment:EYEBATH, WASHING FACILITY, SAFETY  
SHOWER,  
UNIFORM  
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:G3  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:B.P. Text:-30F,-35C  
Vapor Pres:6142 @ 77F  
Vapor Density:3.2  
Spec Gravity:1.193 @ 77F LIQ  
Viscosity:NOT RELEVANT  
Evaporation Rate & Reference:>1 (CCL4=1)  
Solubility in Water:0.1% @ 25C/77F  
Appearance and Odor:CLEAR, COLORLESS LIQU  
EFIED GAS - SLIGHT ETHEREAL  
ODOR  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ALKALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM,  
ETC.  
Stability Condition to Avoid:OPEN FLAME, GLOWING METAL SURFACES, HIGH  
TEMPERATURES (52C/126F)  
Hazardous Decomposition Products:MAY FORM HYDROGEN FLUORIDE, HYDROGEN  
CHLORIDE AND TRACES OF CARBONYL HALIDES.

===== Disp

osal Considerations =====

Waste Disposal Methods:TREATMENT, STORAGE, TRANSPORTATION AND DISPOSAL  
MUST BE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL  
REGULATIONS. RECOVER BY DISTILLATION OR REMOVE TO A PERMITTED WASTE  
DISPOSAL FACILITY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or  
implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.