

INLAND TECHNOLOGY INC -- SKYSOL 100, PN:FS100 -- 6850-01-381-4401

=====
Product Identification
=====

Product ID:SKYSOL 100, PN:FS100

MSDS Date:10/13/1994

FSC:6850

NIIN:01-381-4401

MSDS Number: BYVYJ

=== Responsible Party ===

Company Name:INLAND TECHNOLOGY INC

Address:2612 PACIFIC HWY E NO C

City:TACOMA

State:WA

ZIP:98424-1045

Country:US

Info Phone Num:206-922-8932

Emergency Phone Num:206-922-8932

CAGE:0K209

=== Contractor Identification ===

Address:401 E 27TH STREET

Box:City:TACOMA

State:WA

ZIP:98421-1203

Country:US

Phone:800-552-3100/253-383-1177

CAGE:0K209

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Other REC Limits:NONE RECOMMENDED

Ingred Name:D-LIMONENE

CAS:5989-27-5

RTECS #:GW6360000

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC

50 Mixture:NOT GIVEN

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION. LOW ORDER ACUTE ORAL AND DERMAL TOXICITY. CHRONIC:PROLONGED OR REPEATED EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING AND DERMATITIS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE IRRITATION. LOW ORDER ACUTE ORAL & DERMAL TOXICITY. SKIN:MILD IRRITATION, DEFATTING, DERMATITIS.

Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid:EYE:IF SPLASHED INTO EYES FLUSH W/WATER FOR @LEAST 15MINS OR TIL IRRIT SUBSIDES. IRRIT PERSISTS CALL DOCTOR. SKIN:IN CASE OF SKIN CONTACT REMOVE ANY COTNAMINATED CL

OTHING & WASH SKIN

THOROUGHLY W/SOAP & WATER. INHAL:IF OVERCOME BY VAPOR REMOVE FRM EXPO AREA & CALL PHYSICIAN IMMED. INGEST:DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMED. IF CONDITIONS PERSIST GET MED ATTN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:146F,63C

Lower Limits:0.6

Upper Limits:7

Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:USE AIR SUPPLIED BREATHING EQUIPMENT F OR

ENCLOSED AND CONFINED SPACES OR AS OTHERWISE NEEDED.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF & ELIMINATE ALL IGNITABLE SOURCES. CONTAIN AND COLLECT MATERIAL. ABSORB RESIDUE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE & STORE AWAY FROM HEAT/SPARKS/OPEN FLAME. KEEP

CONTAINER SEALED WHEN NOT IN USE. MIN BREATH VAP/MIST.

AVOID PROL/REPEAT SKIN CONTACT.

Other Precautions:KEEP ALL CHEMICALS OUT OF THE REACH OF CHILDREN. KEEP
CNTNR CLSD. DO NOT STORE NEAR HEAT/FLAME. SPECIFICALLY DESIGNED FOR
AIRCRAFT INDUSTRY AS HYDRAULIC FLUID REMOVER & GENERAL SOLVENT
CLEANER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:USE MECHANICAL DILUTION VENTI WHENEVER PRODUCT IS USED I
N

CONFINED SPACE/HEATED ABOVE AMBIENT TEMP/AGITATED.

Protective Gloves:USE CHEMICAL-REISISTANT GLOVES IF NEEDED

Eye Protection:SPLASH GOGG OR FACESHIELD IF CONTACT EYE

Other Protective Equipment:NONE NORMALLY REQUIRED. EYE WASH OR STERILE
EYE RINSE.

Work Hygienic Practices:WASH HANDS AFT HANLDING. WASH CONTAMINATED
CLOTHING BEF REUSE. READ/UNDERSTAND ALL CAUTION/LABELS/MSDS BEF
USING.

Supplemental Safety and Health

MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED CON
TACT

WITH SKIN.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:340F,171C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:5

Spec Gravity:0.78

Evaporation Rate & Reference: