View NSN Online: https://aerobasegroup.tw/nsn/6810-00-476-5613

J AND M LABORATORIES -- CHLOROTHENE SM SOLVENT -- 6810-00-476-5613

======== Product Identification ============

Product ID: CHLOROTHENE SM SOLVENT

MSDS Date:12/19/1995

FSC:6810

NIIN:00-476-5613

MSDS Number: BZBCC === Responsible Party ===

Company Name: J AND M LABORATORIES

Address:1717 ROWAN

City:LOUISVILLE

State:KY ZIP:40203 Country:US

Info Phone Num:502-585-3176/FAX502-585-3216

Emergency Phone Num:502-585-3

176

CAGE:01VT9

=== Contractor Identification ===

Company Name: J AND M LABORATORIES, INC.

Address:1717 ROWAN ST Box:City:LOUISEVILLE

State:KY ZIP:40203 Country:US

Phone:800-473-6173/502-585-3176

CAGE:01VT9

======= Composition/Information on Ingredients ========

Ingred Name:1,1,1-TRICHLOROETHANE (SARA III)

CAS:71-55-6

RTECS #:KJ2975000 Fraction by Wt: 96.5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:350 PPM;STEL 450 PPM ACGIH TLV:350 PPM;STEL 450 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty

:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:DIETHYLENE ETHER (1,4-DIOXANE) (SARA III)

CAS:123-91-1

RTECS #:JG8225000 Fraction by Wt: 2.5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:25 PPM (SKIN) ACGIH TLV:25 PPM (SKIN)

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:1,2-BUTYLENE OXIDE

CAS:106-88-7

RTECS #:EK3675000 Fraction by Wt: 0.47%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:STEL 2 PPM

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: NITROMETHANE

CAS:75-52-5

RTECS #:PA9800000

Fracti

on by Wt: 0.34%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:100 PPM ACGIH TLV:100 PPM

LD50 LC50 Mixture:LD50 ORAL, RAT: >10,000 MG/KG; Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: PAIN. SLIGHT TRANSIENT IRRITATION WITH SLIGHT TRANSIENT CORNEAL INJURY. IRRITATION. SKIN: PROLONGED OR REPEATED MAY CAUSE IRRITATION, DRYIN

G, FLAKING. INGESTION:

ASPIRATED PRODUCT MAY RESULT IN I NJURY TO OTHER BODY SYSTEMS. INHALATION: HIGH CONCENTRATIONS (10000): UNCONSCIOUSNESS, DEATH. CARDIAC ARTHYTHMIAS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE PAIN, TRANSIEN IRRITATION, SKIN IRRITATION, DRYING, FLAKING, CHEMICAL PNEUMONIA, UNCONSCIOUSNESS, CARDIAC ARTHYTHMIAS, DE

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IF OCCURS, KEEP HE
AD BELOW HIPS. GET MEDICAL ATTENTION.
======================================
Flash Point Method:TCC Flash Point:NONE Lower Limits:7.5 Upper Limits:12.5 Extinguishing Media:WATER FOG Fire Fighting Procedures:WEAR POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:VAPORS OF THIS SOLVENT MAY DEVELOP & FLAMMABLE ATMOSPHERE IN CONFINED OR POORLY-VENTILATED AREAS.
======================================
Spill Release Procedures:MINIMIZE AREA EFFECTED BY SPILL. BLOCK ANY POTENTIAL ROUTES TO WATER SYSTEMS. NOTIFY PROPER AUTHORITIES. USE ABSORBENT TO RECOVER SPILLED MATERIAL. KEEP OUT OF WATER SUPPLIES. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
=========== Handling and Storage ============
Handling and Storage Precautions:HANDLE W/REASONABLE CARE. AVOID BREATHING VAPORS. STORE IN COOL, DRY PLACE. CONCENTATED VAPORS HEAVIER THAN AIR, MAY COLLECT IN LOW/CONFINED AREAS. Other Precautions:DON'T ENTER LOW OR CONFINED AREA WITHOUT SPECIAL BREATHING APPARATUS & OBSERVER PRESENT. DON'T PACKAGE IN ALUMINUM AEROSOL CAN W/FINELY DIVIDED ALUMINUM OR ALLOY IN AREOSOL CAN. ALUMINUM NOT ACCEPTABL E MAT'L FOR PUMPS, MIXERS, FITTINGS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:MAINTAIN ATMOSPHERIC LEVELS TLV/PEL,USE POSITIVE PRESSURE SCBA. IN CONFINED/POORL Y VENTED AREA,USE POSTIVE PRES

ATH.

SURE SCBA. Ventilation: CONTROL AIRBORNE CONCENTRATION