

3M -- STELLAR BRAND ULTRA HIGH SPEED FLOOR FINISH 6

=====

MSDS Safety Information

=====

FSC: 7930

NIIN: 01-418-1182

MSDS Date: 02/14/1992

MSDS Num: BZLVB

Product ID: STELLAR BRAND ULTRA HIGH SPEED FLOOR FINISH 61-5000-3752-0

MFN: 01

Responsible Party

Cage: 0F0U5

Name: 3M

Address: 3M CENTER

City: ST. PAUL M

N 55144-1000

Info Phone Number: 612-733-1110

Emergency Phone Number: 612-733-1110

Review Ind: Y

Published: Y

=====

Contractor Summary

=====

Cage: 0WJ98

Name: MINNESOTA MINING AND MFG CO INFUSION THERAPY DIV

Address: 3M CTR

City: SAINT PAUL MN 55144-1000

Phone: 800-237-8033

Cage: 0F0U5

Name: PACEBROOK LTD

Address: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK 00000

Country: UK

Phone: NONE

=====

Item Description Information

=====

Item Manager: GSA

Item Name: FINISH,FLOOR,NONBUFFING

Unit of Issue: BX

Quantitative Expression: 00000000002EA

UI Container Qty: 1

=====

Ingredients

=====

Cas: 7732-18-5

RTECS #: ZC0110000

Name: WATER

% Wt: 75-85

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT E

STABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Name: MODIFIED ACRYLIC POLYMER  
% Wt: 12-16  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 111-77-3  
RTECS #: KL6125000  
Name: DIETHYLENE GLYCOL MONOMETHYL ETHER  
% Wt: 2-3  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: 30 PPM

-----  
Cas: 9010-77-9  
Name: ETHYLENE-ACRYLIC ACID POLYMER  
% Wt: 1-3  
Other REC Limit  
s: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: 30 PPM

-----  
Cas: 68441-17-8  
Name: OXIDIZED POLYETHYLENE  
% Wt: 1-3  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 78-51-3  
RTECS #: KJ9800000  
Name: TRIBUTOXYETHYL PHOSPHATE  
% Wt: 1-3  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 84-74-2  
RTECS #: TI0875000  
Name: DI

BUTYL PHTHALATE (SARA 313) (CERCLA)

% Wt: 1-2

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 5 MG/M3

ACGIH TLV: 5 MG/M3

EPA Rpt Qty: 10 LBS

DOT Rpt Qty: 10 LBS

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES: MINIMAL IRRIT FROM LIQ BASED ON ANIMAL STUDIES.

SKIN: NOT IRRIT BASE

D ON ANIMAL STUDIES. INHAL: CHRONIC EXPOSURE TO VAPORS IN

POORLY VENTILATED AREAS MAY IRRIT RESP SYSTEM, GIVE SYMPTOMS OF HEAD

ACHE/NAUSEA. INGEST: LIQ MAY IRRIT DIGESTIVE SYSTEM. FOUND TO BE PRACTICALLY

NON-TOXIC BASED ON ANIMAL STUDIES.

Signs And Symptoms Of Overexposure: HEADACHE/NAUSEA FROM OVEREXPOSURE.

First Aid: EYES: IMMEDIATELY FLUSH W/WATER 10 MINUTES HOLDING LIDS OPEN. CALL

DR. SKIN: WASH AFFECTED AREA W/SOAP & WATER. INHALATION: REMOVE PERSON TO

FRESH AIR. INGESTION: D

O NOT INDUCE VOMITING. IMMEDIATELY C ALL DR.

=====

Handling and Disposal

=====

Spill Release Procedures: OBSERVE PRECAUTIONS FROM OTHER SECTIONS. FLUSH SPILLS

&lt;5 GL TO WASTE WATER TREATMENT SYSTEM. IF BULK QUANTITY SPILL, COLLECT

MATERIAL USING ABSORBENT MAT'L AS NECESSARY & FLUSH RESIDUE TO WASTE

WATER TREATMENT SYSTEM. CLEAN UP RESIDUE W/WATER.

Waste Disposal Methods: FLUSH SPENT P

RODUCT/SOLUTIONS TO WASTE WATER TREATMENT

SYSTEM. IF FOAMING REDUCE DISCHARGE RATE. MIX ABSORBED/BULK & INCINERATE

IN INDUSTRIAL/COMMERCIAL/MUNICIPAL FACILITY. EMPTY CNTNR MAY BE SANITARY

LANDFILLED. CONSULT APPLIC REGS BEFORE DISPOSAL.

Handling And Storage Precautions: AVOID CONTACT W/EYES. USE IN VENTILATED AREA.

KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM CHILDREN.

=====

Fire and Explosion Hazard Information

=====

=====  
Flash Point Text: NA  
Lower Limits: NA  
Upper Limits: NA  
Extinguishing Media: WATER, CO2, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures: NONE  
Unusual Fire/Explosion Hazard: NONE  
=====  
Control Measures  
=====  
=====  
Physical/Chemical Properties  
=====  
B.P. Text  
: 212F,100C  
M.P/F.P Text: NOT EST.  
Vapor Pres: NOT EST.  
Vapor Density: NOT EST.  
Spec Gravity: 1.0 (WATER=1)  
PH: 8.50  
Evaporation Rate & Reference: NOT EST.  
Solubility in Water: COMPLETE  
Appearance and Odor: LIQUID, OPAQUE WHITE  
Percent Volatiles by Volume: 80.0  
=====  
Reactivity Data  
=====  
Stability Indicator: YES  
Hazardous Decomposition Products: CO, CO2, SMOKE PARTICLES.  
Hazardous Polymerization Indicator: YES  
=====  
Toxicological Information  
=====  
=====  
Ecological Information  
=====  
=====  
MSDS Transport Information  
=====  
=====  
Regulator

y Information  
=====

Other Information  
=====

Transportation Information  
=====

Responsible Party Cage: 0F0U5  
Trans ID NO: 135321  
Product ID: STELLAR BRAND ULTRA HIGH SPEED FLOOR FINISH 61-5000-3752-0  
MSDS Prepared Date: 02/14/1992  
Review  
    Date: 05/17/1996  
MFN: 1  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: BX  
Container QTY: 1

Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name  
: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: STELLAR BRAND ULTRA HIGH SPEED FLOOR FINISH 61-5000-3752-0

Cage: 0F0U5

Company Name: PACEBROOK LTD

Street: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK

Zipcode: 00000

Country: UK

Health Emergency Phone: 612-733-1110

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: EYES

: MINIMAL IRRIT FROM LIQ BASED ON ANIMAL STUDIES.

SKIN: NOT IRRIT BASED ON ANIMAL STUDIES. INHAL: CHRONIC EXPOSURE TO VAPORS IN POORLY VENTILATED AREAS MAY IRRIT RESP SYSTEM, GIVE SYMPTOMS OF HEAD ACHE/NAUSEA. INGEST: LIQ MAY IRRIT DIGESTIVE SYSTEM. FOUND TO BE PRACTICALLY NON-TOXIC BASED ON ANIMAL STUDIES. HEADACHE/NAUSEA FROM OVEREXPOSURE.

=====

Disclaimer (provided with this information by the compiling agencies): This informati

on is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a milita

ry or civilian employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.