

DEXTER CROWN METRO AEROSPACE COATINGS -- LAMINAR X500 FAST REDUCER, 66C20 --  
8010-00-403-3026

===== Product Identification =====

Product ID:LAMINAR X500 FAST REDUCER, 66C20

MSDS Date:04/11/1994

FSC:8010

NIIN:00-403-3026

MSDS Number: CBQJP

=== Responsible Party ===

Company Name:DEXTER CROWN METRO AEROSPACE COATINGS

Address:31500 HAYMAN

City:HAYWARD

State:CA

ZIP:94544

Country:US

Info Phone Num:510-4

71-7171

Emergency Phone Num:510-471-7171

Preparer's Name:SOUTH

CAGE:0S4B8

=== Contractor Identification ===

Company Name:CROWN METRO AEROSPACE COATINGS INC SUB OF DEXTER CORP THE

Address:315 ECHELON RD

Box:5695

City:GREENVILLE

State:SC

ZIP:29606

Country:US

Phone:803-277-1870

CAGE:0S4B8

Company Name:DEXTER CORP THE DEXTER CROWN METRO AEROSPACE DIV

Address:31500 HAYMAN ST

Box:City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Phone:510-471-7171

CAGE:98795

===== Composition/Information on In

gredients =====

Ingred Name:ACETIC ACID, BUTYL ESTER; (BUTYL ACETATE) (CERCLA) VP: 8 @ 20C

CAS:123-86-4

RTECS #:AF7350000

Fraction by Wt: 30-40%

OSHA PEL:150 PPM

ACGIH TLV:150 PPM/200STEL

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:2-BUTANONE; (METHYL ETHYL KETONE) (MEK) (SARA 313) (CERCLA) VP: 75 @ 20C

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 30%

OSHA PEL:200 PPM

ACGIH TLV:200 PPM/300STEL

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA 313) (CERCLA) VP: 22 @ 20C

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 19%

OSHA PEL:200 PPM

ACGIH TLV:50 PPM, S

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ACETIC ACID, 2-METHOXY-1-METHYLETHYL ESTER; (METHOXY 2-PROPANOL ACETATE) VP: 3.8 @ 20C

CAS:108-65-6

RTECS #:AI8925000

Fraction by Wt: 10-20%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:BENZENE (SARA 313) (CERCLA) %: 0.00384

CAS:71-43-2

RTECS #:CY1400000

Fraction by Wt: 172F,>78C

Vapor Pres:SEE INGS

Vapor Density:HVR/AIR

Spec Gravi

ty:0.87

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:FUMES MAY CONTAIN CARBON MONOXIDE &  
OXIDES OF NITROGEN. MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO  
DECOMP AS IN WELDING.

===== Disposal Considerations =====

Wa

ste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify  
and  
assume responsibility for the suitability of this information to their  
particular situation.