

DOALL CO -- GAGE BLOCK PRESERVATIVE (AEROSOL) 0195 -- 8030-01-014-5065

=====  
Product Identification  
=====

Product ID:GAGE BLOCK PRESERVATIVE (AEROSOL) 0195

MSDS Date:01/01/1995

FSC:8030

NIIN:01-014-5065

MSDS Number: CBTCR

=== Responsible Party ===

Company Name:DOALL CO

Address:254 N LAUREL AVE

City:DES PLAINES

State:IL

ZIP:60016-4321

Country:US

Info Phone Num:708-803-7272

Emergency Phone Num:800-

535-5053

CAGE:18056

=== Contractor Identification ===

Company Name:DOALL CO

Address:254 NO LAUREL AVE

Box:City:DES PLAINES

State:IL

ZIP:60016

Country:US

Phone:847-803-7366

CAGE:18056

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS)

CAS:68476-85-7

RTECS #:SE7545000

Fraction by Wt: 50%

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9495

Ingred Name:PENTANE

CAS:109-66-0

RTECS #:RZ9450000

Fraction by Wt: 20%

OSHA PEL:1000 PPM;750 STEL

ACGIH TLV

:600 PPM;750 STEL

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 20%

Ingred Name:SOLVENT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC

CAS:64742-88-7

Fraction by Wt: 4%

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED  
(SEVERE), HEAVY PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038501

Fraction by Wt: 4%

Ingred Name:ZINC SOAPS OF FATTY ACIDS MADE FROM OXIDIZED PETROLATUM,

CAS:68918-69-4

Fraction by Wt: 2%

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) = 5G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:\*\*TARGET-ORGANS:EYES, SKIN,  
RESPIRATORY SYSTEM, CNS\*\* INHALATION:BREATHING DIFFICULTY.  
EYE:IRRITATION. SKIN:DEFATTING, IRRITATION. INGESTION:NAUSEA,  
DIARRHEA.

Explanation of Carcinogenicity:MFR GAVE THE ABOVE LISTINGS ON THE MSDS

BUT NO OTHER COMMENTS ABOUT CARCINOGENICITY WERE RECORDED.

Effects of Overexposure:INHALATION:BREATHING DIFFICULTY.

EYE:IRRITATION. SKIN:DEFATTING, IRRITATION. INGESTION:NAUSEA,  
DIARRHEA.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

===== First Aid Measures =====

First Aid:IF ANY IRRITATION PERSISTS OR SEVERE, GET MEDICAL ATTENTION.

EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER.

INHALED:REMOVE FROM CONTAMI

NATED AREA. AID OR RESTORE BREATHING AS  
NEEDED. INGESTED :KEEP PERSON WARM & QUIET. GET IMMEDIATE MEDICAL  
ATTENTION.

===== Fire Fighting Measures =====

Flash Point:-156F,-104C

Lower Limits:1.8

Upper Limits:9.2

Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WATER STREAM/SPRAY TO COOL CONTAINERS. VAPOR  
FORMATION & IGNITION MAY SPREAD FIRE. FOG NOZZLES ARE PREFERRED IF  
WATER IS USED. WEAR SCBA GEAR IN FIRE AREA

Unusual Fire/Explosion Hazard:THIS PRODUCT IS EXTREMELY FLAMMABLE.  
AEROSOL CANS WILL RUPTURE EXPLOSIVELY ON OVERHEATING.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL:USE ABSORBENT MATERIAL. LARGE  
SPILL:REMOVE IGNITION SOURCES. VENTILATE & LEAVE AREA. RE-ENTER  
W/SCBA GEAR & MOP W/SOAP & WATER. ALLOW RESIDUE TO EVAPORATE.  
Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE DRY IN A CLOSED CONTAINER IN A  
COOL PLACE AWAY FROM ANY FIRE SOURCE.

Other Precautions:DO NOT INGEST. AVOID BREATHING VAPORS. DO NOT SMOKE  
WHILE USING/USE NEAR AN OPEN FLAME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR GAVE NO INFORMATION OF MSDS.

Ventilation:GENERAL MECHANICAL VENTILATION SHOULD BE ADEQATE. PROVIDE  
LOCAL EXHAUST IF VAPOR BUILDUP BECOMES EXCESSIVE.

Protecti

ve Gloves:NEOPRENE GLOVES THAT ARE IMPERMEABLE.

Eye Protection:SAFETY GOGGLES OR FACE SHIELD

Other Protective Equipment:HAVE EMERGENCY SHOWER & EYE WASH AVAILABLE  
IN WORK AREA.

Work Hygienic Practices:PRACTICE REASONABLE PERSONAL HYGIENE. WASH  
EXPOSED SKIN W/MILD SOAP & WARM WATER ONLY.

Supplemental Safety and Health

CHANGE OIL SOAKED CLOTHING PROMPTLY & LAUNDER BEFORE REUSE.

===== Physical/Chemical Properties =====

HCC:V3

NRC/State Lic Num:NONE

Vapor Pres:8

5 MM  
Vapor Density:>1  
Spec Gravity:0.96(WATER=1)  
Evaporation Rate & Reference:>1 (N-BUAC = 1)  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BROWN LIQUID, SOLVENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS.  
Stability Condition to Avoid:AVOID OPEN FLAMES AND HOT SURFACES.  
Hazardous Decomposition Products:OXIDES OF CARBON.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Di  
sposal Considerations =====

Waste Disposal Methods:TREAT AS AN OILY WASTE AND DISPOSE OF I/A/W  
LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.