View NSN Online: https://aerobasegroup.tw/nsn/8030-00-670-8556

Product ID:CS 2725 PART B MSDS Date:03/24/1993 FSC:8030 NIIN:00-670-8556 Kit Part:Y MSDS Number: CBTQL === Responsible Party === Company Name: FLAMEMASTER CORP Address:11120 SHERMAN WAY City:SUN VALLEY State:CA ZIP:91352 Country:US Info Phone Num:818-982-1650 Emergency Phone Num:800-424-9300(CHEMTREC) Preparer 's Name: HERBERT H. MOORE CAGE:14439 === Contractor Identification === Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:14439

Ingred Name:TRIETHYLENE PENTAMINE CAS:68822-50-4 RTECS #:TQ0525000 Fraction by Wt: 0.5% Other REC Limits:5 PPM (SKIN)

Ingred Name:VOC - 1 GM/LITER Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: VAPOR/MIST CAN IRRITATE THE NOSE AND THROAT. SEVERELY IRRITATING TO EYES AND SKIN. MATERIAL CAN CAUSE SKIN SENSITIZATION AND DERMATITIS. Effects of Overexposure: HEADACHE, DIZZINESS, TEARING OF EYES AND NOSE IRRITATION. ITCHING OF SKIN WITH SIGN OF REDNESS. Medical Cond Aggravated by Exposure:A STHMA, LIVER First Aid: EYE AND SKIN CONTACT-FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES, CONSULT PHYSICIAN, WASH SKIN WITH SOAP AND WATER. Flash Point Method:TCC Flash Point:>200F,>93C Lower Limits:NA Upper Limits:NA Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER SPRAY Fire Fighting Procedures: IN CONFINED AREAS WEAR SELF-CONTAINED **BREATHING A** PPARATUS. Unusual Fire/Explosion Hazard: OXIDES OF NITROGEN, MAY BE PRODUCTS OF COMBUSTION. Spill Release Procedures: SCOOP UP AND RETURN TO CONTAINER. WASH AREA WITH SOAP AND WATER. Neutralizing Agent:ACID Handling and Storage Precautions: STORE IN COOL DRY AREAS AWAY FROM

DIRECT SUNLIGHT. KEEP IN CLOSED CONTAINERS. Other Precautions:AVOID CONTACT

WITH SKIN, EYES AND CLOTHING. WASH CONTAMINATED CLOTHING BEFORE RE-USE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CANISTER. Ventilation:LOCAL EXHAUST-YES. MECHANICAL (GENERAL) FAN. Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:APRON AND SAFETY SHOES. Work Hygienic Practices:DO NOT SMOKE, DRINK OR EAT IN WORK AREAS. Supplemental Safety and Health KEY1:C4.

==

HCC:B3 Boiling Pt:B.P. Text:550F,288C Melt/Freeze Pt:M.P/F.P Text:ROOM TEMP Decomp Temp:Decomp Text:NA Vapor Pres: