

INTERNATIOAL LUBRICANTS CO INC -- MIL-L-26087 GRI CRYSTAL COMPRESSOR FLUID --  
9150-00-577-4241

===== Product Identification =====

Product ID:MIL-L-26087 GRI CRYSTAL COMPRESSOR FLUID

MSDS Date:09/11/1996

FSC:9150

NIIN:00-577-4241

MSDS Number: CCCBP

=== Responsible Party ===

Company Name:INTERNATIOAL LUBRICANTS CO INC

Address:10363 AIRLINE HIGHWAY

City:SAINT ROSE

State:LA

ZIP:70087

Country:US

Info P

hone Num:504-469-0940

Emergency Phone Num:504-469-0940

CAGE:JO811

=== Contractor Identification ===

Company Name:INTERNATIONAL LUBRICANTS INC

Address:10363 W AIRLINE HWY

Box:City:SAINT ROSE

State:LA

ZIP:70087

Country:US

Phone:504-469-0940(504-471-0104FAX)

CAGE:0W1H4

Company Name:INTERNATIONAL LUBRICATES INC

Address:10363 AIRLINE HIGHWAY

Box:City:SAINT ROSE

State:LA

ZIP:70087

Country:US

Phone:504-469-0940

CAGE:JO811

===== Composition/Information on Ingredients =====

Ingred Nam

e:MIL-L-26087 GRADE I, COMPRESSOR FLUID.  
CAS:64742-52-5  
RTECS #:PY8035000  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHAL OF VAP/MIST MAY BE IRRIT TO RESP  
PASSAGES.PROLONG EXPO MAY CAUSE DIZZ,NAUS.SKIN:PROL/REP CONTACT  
CAN  
DEFAT SKIN WHICH MAY RESULT IN DRYNESS,DERM,CRACKING OF  
SKIN.EYE:CONTACT MAY RESULT IN IRRIT, REDNESS.INGEST:MAY RESULT IN  
NAU,STOMACH DISCOMFORT.  
Effects of Overexposure:IRRIT RESPIRATORY PASSAGES, DIZZINESS, NAUSEA,  
DEFATTING OF SKIN, DRYNESS, DERMATITIS, CRACKING OF SKIN. EYE  
IRRIT, REDNESS, STOMACH DISCOMFORT.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:REMOV  
E TO FRESH AIR.ASSIST BREATH IF NECESSARY.SEEK MED  
HELP. SKIN:WASH THOROUGHLY W/SOAP/WATER.REMOVE CONTAMIN CLOTH.  
INGEST:OBSERVE FOR SIGNS OF STOMACH DISCOMFORT OR NAUSE.IF SYMPTOMS  
PERSIST SEEK MED HELP.

===== Fire Fighting Measures =====

Flash Point:NP  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NP  
Upper Limits:NP  
Extinguishing Media:NONE SPECIFIED BY MANUFACTURER.  
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.  
Unusual Fir  
e/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:SPILLS ENTERING SURFACE WATERS/ANY WATER  
COURSES/SEWERS ENTER/LEAD TO SURFACE WATERS THAT CAUSE SHEEN MUST  
BE REPORTED TO NAT RESP CNTNR 800-424-8802.STOP @SOURCE IF POSSIBLE  
W/O RISK.CONTAIN.ELIMINAT E IGN SOURCES.AREA WILL BE SLICK.RECOVER  
ALL(SUPP)  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling an

d Storage =====

Handling and Storage Precautions:FOLLOW HEALTH & SAFETY INFORMATION AS PROVIDED ON THIS MSDS.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED. RESPIRATOR SHOULD BE USED IN AREAS WHERE VAPOR CONC ARE EXCESSIVE DUE TO HIGH TEMPERATURES OR WHERE OIL MISTING OCCURS.

Ventilation:ADEQUATE VENTILATION IS REQUIRED WHERE EXCESSIVE HEATING/AG

ITATION MAY OCCUR TO MAINTAIN CONC BELOW EXPO LIMITS.

Protective Gloves:NONE SPEC BY MFG;HMIS:RECOMMENDED.

Eye Protection:SAFETY GLASSES,FACE SHIELD FOR SPLASHING

Other Protective Equipment:AS NEEDED TO PREVENT REPEATED SKIN CONTACT.

Work Hygienic Practices:REUSE CONTAMIN CLOTH ONLY AFT CLEANING.

Supplemental Safety and Health

SPILL:POSSIBLE MATL FOR RECLAMATION.USE NON-FLAMM ABSORBENT MATL TO PICK UP REMAINDER OF SPILL. DISPO:DRAIN.FOLLOW LOC/STATE/FED REGS.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:NP

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:NP

Vapor Density:NP

Spec Gravity:NP

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:NP

Appearance and Odor:NP

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED

BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:CONTAIN NO SUBSTANCES SUBJ TO REPORTING/PLANNING  
REQMTS UNDER SARA TITLE III.CLASSIFIED AS OIL UNDER SEC 311 OF  
CLEAN WATER ACT.PLACE AN APPROPRIATE DISPO FACILITY IN COMPLIANCE  
W/LOC REGS.ADVISE AUTH ORITIES IF PROD ENTER/MAY ENTER  
WATERCOURSES/(SUP)

Disclaimer (provided with this information by the c  
ompiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.