

POWER-SONIC CORP -- RECHARGEABLE SEALED LEAD-ACID BATTERY FOR CYCLIC AND  
STANDBY -- 6135-01-292-1071

=====  
Product Identification  
=====

Product ID:RECHARGEABLE SEALED LEAD-ACID BATTERY FOR CYCLIC AND STANDBY

MSDS Date:07/05/1992

FSC:6135

NIIN:01-292-1071

MSDS Number: CCLZS

=== Responsible Party ===

Company Name:POWER-SONIC CORP

Address:3106 SPRING ST

Box:5242

City:REDWOOD CITY

State:CA

ZIP:94063-

3929

Country:US

Info Phone Num:415-364-5001/FAX415-366-3862

Emergency Phone Num:415-364-5001

CAGE:56309

=== Contractor Identification ===

Company Name:POWER-SONIC CORP

Address:3106 SPRING ST

Box:5242

City:REDWOOD CITY

State:CA

ZIP:94063-3929

Country:US

Phone:650-364-5001

CAGE:56309

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PLASTIC BATTERY CASE

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

=====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SULFURIC ACID, LEAD AND LEAD OXIDES

MAY BE RELEASED IF THE BATTERY CASE IS BROKEN. EXPOSURE TO THESE MATERIALS WILL NOT OCCUR UNDER NORMAL CONDITIONS. SEE P/N B FOR INFORMATION ON EXPOSURE TO THESE PRODUCTS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
C

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:NONE EXPECTED UNDER NORMAL CONDITIONS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION

INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:NONFLAMMABLE. USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures:NONFLAMMABLE. USE STANDARD FIREFIGHTING PROCEDURES FOR SURROUNDING MATERIALS IN THE FIRE.

U

Unusual Fire/Explosion Hazard:THE OPERATION OF BATTERY CAN PRODUCE EXPLOSIVE HYDROGEN GAS. IF AN IGNITION SOURCE IS PRESENT IT MAY IGNITE/EXPLODE THE HYDROGEN.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. EVACUATE AREA. WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING FUMES AND DIRECT CONTACT WITH SPILLED MATERIAL. ABSORB LIQUIDS FROM CELL WITH SODIUM BICARBONATE OR SLAKED LIME.

Neutralizing Agent:NON



===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.