

PITT PENN OIL CO -- DEXRON III/MERCON ATF,27300 -- 9150-00-657-4959

=====
Product Identification
=====

Product ID:DEXRON III/MERCON ATF,27300

MSDS Date:08/30/1994

FSC:9150

NIIN:00-657-4959

MSDS Number: CCMQS

=== Responsible Party ===

Company Name:PITT PENN OIL CO

Address:FREEPORT RD

Box:296

City:CREIGHTON

State:PA

ZIP:15030

Country:US

Info Phone Num:412-226-2712

Emergency Phone Num:412-226-2712/8

00-255-3924(CHEM TEL)

Preparer's Name:PAUL A. PAVLIK

CAGE:0A1G5

=== Contractor Identification ===

Company Name:PITT PENN OIL CO

Address:426 FREEPORT RD

Box:296

City:CREIGHTON

State:PA

ZIP:15030-0296

Country:US

Phone:724-226-2712

CAGE:0A1G5

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),
HEAVY PARAFFINIC/ALIPHATIC PETROLEUM DISTILLATES

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 70 - 85%

Other R

EC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN. ACUTE-
EYES:MAY CAUSE IRRITATION. SKIN:PROLONGED/REPEATED CONTACT MAY
CAUSE IRRITATION. INHALE:NONE EXPECTED AT AMBIENT T
TEMPERATURES.
ORAL:ASPIRATION HAZARD. CHRONIC- UNKNOWN .
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15
MINUTES, HOLDING
EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO
NOT INDUCE VOMITING. IF CONSCIOUS, RINSE MOUTH WITH WATER. SEEK
IMMEDIATE MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP
HEAD BELOW HIPS. KEEP PERSON WARM AND QUIET.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:365F,185C
Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE. WATER
OR FOAM MAY CAUSE FROTHING.
Fire Fighting Procedures:DO NOT ENTER ANY
ENCLOSED OR CONFINED AREA
WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:PICK UP SPILL WITH INERT MATERIAL SUCH AS
SAND, CLAY, EARTH. SHOVEL INTO CONTAINERS FOR DISPOSAL. PREVENT
RUN-OFF TO ENTER WATERWAYS, SEWERS.
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage

=====
Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED PLACE
AWAY FROM STRONG OXIDIZERS. KEEP OUT OF REACH OF CHILDREN.
Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY
AFTER HANDLING. LAUNDRER CLOTHING BEFORE REUSE. AVOID INHALING
MISTS. EMPTY CONTAINERS OF THIS PRODUCT MAY BE HAZARDOUS DUE TO THE
RETENTION OF RESIDUE S. DO NOT TAKE INTERNALLY.

=====
Exposure Controls/Personal Protection

Respiratory P

rotection:NONE NORMALLY REQUIRED. IF WORKING IN CONFINED
AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES
EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR
NIOSH-APPROVED ORGANIC VAPO R RESPIRATOR.

Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:NITRILES IF PROLONGED/REPEATED CONTACT

Eye Protection:SAFETY GOGGLES IF SPLASHING ANTICIPATED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOT
HING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER GLOVES AND
SHOES.

Supplemental Safety and Health

=====
Physical/Chemical Properties

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>520F,>271C

Vapor Pres:1

Spec Gravity:0.871

Evaporation Rate & Reference: