View NSN Online: https://aerobasegroup.tw/nsn/6850-01-158-3928

CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC. -- SILOO BRAKE PARTS CLEANER,50 A,50 AP,05089 -- 6850-01-158-3928

Product ID:SILOO BRAKE PARTS CLEANER, 50 A, 50 AP, 05089 MSDS Date:09/29/1994 FSC:6850 NIIN:01-158-3928 MSDS Number: CCMSS === Responsible Party === Company Name: CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC. Address:885 LOUIS DRIVE City:WARMINSTER State:PA ZIP:189 74-2820 Country:US Info Phone Num:215-674-4300 Emergency Phone Num:215-674-4300/800-424-9300(CHEMTREC) Preparer's Name: ADAM SELISKER CAGE:10136 === Contractor Identification === Company Name: ADVANCED INDUSTRIES INC Address:415 NORTHCUTT STREET Box:5666 City:LONGVIEW State:TX ZIP:75608 Country:US Phone:214-236-4101 CAGE:0GA21 Company Name: CRC INDUSTRIES, INC. Address:885 LOUIS DRIVE Box:City:WARMINSTER State:PA ZIP:18974-2820 Country:US Phone:215-674-4300/800-424-9300 CAGE:10136 **Company Name:NETE**

X INDUSTRIES(FORMER NORTHEAST TEXAS IND) Address:1700 NORTH EDWARDS STREET Box:City:MOUNT PLEASANT State:TX ZIP:75455 Country:US Phone:903-577-0388 CAGE:0WAG0

Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA 313) (CERCLA) CAS:127-18-4 RTECS #:KX3850000 Fraction by Wt: 65 - 94% Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM, Z-2 ACGIH TLV:25PPM/100STEL,A3; 96 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:ST ODDARD SOLVENT/PETROLELUM DISTILLATE CAS:8052-41-3 RTECS #:WJ8925000 Fraction by Wt: 1 - 20% Other REC Limits:NONE RECOMMENDED OSHA PEL:500 PPM ACGIH TLV:100 PPM; 9596

Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 Fraction by Wt: 1 - 20% Other REC Limits:NONE RECOMMENDED OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;96

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Inge

stion:NO Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYES, SKIN, CNS, RESPIRATORY TRACT. ACUTE- HARMFUL IF INHALED. MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS, IRRITATION, UNCONSCIOUSNESS & IRREGULAR HEARTBEATS. MAY CAUSE EYE & SKIN IRRITATI ON. HARMFUL IF INGESTED. MAY CAUSE VOMITING. ASPIRATION HAZARD. CHRONIC-LIVER & KIDNEY EFFECTS ON LABORATORY ANIMALS. Explanation of Carcinogenicity: CONTAINS TETRACHLOROETHYLENE. Ef fects of Overexposure: IRRITATION, SKIN DEFATTING, DIZZINESS, HEADACHE, UNCONSCIOUSNESS, IRREGULAR HEARTBEATS Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT, HEART, CNS MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES. First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. **EYES: FLUSH WITH WATER FOR 15** MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT IN DUCE VOMITING. IF CONSCIOUS, RINSE MOUTHWITH WATER. SEEK IMMEDIATE MEDICAL ATTENTION. KEEP HEAD BELOW KNEES TO MINIMIZE CHANCE OF ASPIRATING MATERIAL INTO LUNGS. Flash Point Method:TCC Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media: USE WATER FOG. USE WATER SPRAY TO C **OOL FIRE EXPOSED** CONTAINERS. Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE

OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard: AEROSOL CANS MAY EXPLODE. MAY FORM TOXIC AND CORROSIVE GASES.

Spill Release Procedures: LEAKING CONTAINERS SHOULD BE PLACED OUTDOORS AWAY FROM OPEN FLAMES, IN AN OPEN CONTAINER. ALLO S. AVOID EYE/SKIN CONTACT. WASH WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION. VAPORS ARE HEAVIER THAN AIR, WILL COLLECT IN LOW P LACES DISPLACING OXYGEN. VENTILATE AREA.

Respiratory Protection:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE OR SUPPLIED-AIR RESPIRATOR WITH FULL FACEPIECE IF VAPOR CONCENTRATIONS ARE H IGH.

Ventilation: USE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP VAPOR LEVELS AS LOW AS POSSIBLE.

Protective Gloves:CLOTH-LINED RUBBER GLOVES/PVA

Eye Protection: SAFETY GOGGLES/FACE SHIELD

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR RISK OF EXPOSURE.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

FORMULA CHANGED. FOR PRE

VIOUS FORMULATIONS, SEE PNI A-F, SAME NSN.

HCC:V2 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:250F,121C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:1.53 Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:RAPID Solubility in Water:SLIGHT Appearance and Odor:COLORLESS LIQUID - IRRITATING ODOR AT HIGH CONCENTRATIONS Percent Vol Stability Indicator/Materials to Avoid:YES

POWDERED METALS SUCH AS ALUMINUM AND/OR ZINC, STORAGE IN ALUMINUM CONTAIENRS

Stability Condition to Avoid:OPEN FLAME, EXTREMELY HOT METAL SURFACES, TEMPERATURES ABOVE 120F

Hazardous Decomposition Products:MAY FORM CARBON MONOXIDE, CARBON DIOXIDE, CHLORINE, HYDROGEN CHLORIDE AND/OR PHOSGENE

=====

Waste Disposal Methods: ALL USED OR UNUSED PRODUCT SHOULD BE DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT CONTAMINATE ENVIRONMENT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. An

y person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.