

SHELL OIL COMPANY -- CAPRINUS U OIL 40,54770 -- 9150-00-135-2634

=====  
Product Identification  
=====

Product ID:CAPRINUS U OIL 40,54770

MSDS Date:08/01/1996

FSC:9150

NIIN:00-135-2634

MSDS Number: CCSRY

=== Responsible Party ===

Company Name:SHELL OIL COMPANY

Address:HEALTH, SAFETY AND ENVIRONMENT

Box:4320

City:HOUSTON

State:TX

ZIP:77210

Country:US

Info Phone Num:713-241-4819/4141/2252 FAX -6511

Em

ergency Phone Num:713-473-9461/800-424-9300(CHEMTREC)

CAGE:54527

=== Contractor Identification ===

Company Name:EQUILON ENTERPRISES LLC PRODUCT STEWARDSHIP

Address:1111 BAGBY RD RM 4325D

Box:674414

City:HOUSTON

State:TX

ZIP:77267-4414

Country:US

Phone:877-276-7285

CAGE:3N254

Company Name:SHELL OIL COMPANY

Address:Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DISTILLATES, ACID-TR

EATED HEAVY NAPHTHENIC/HIGHLY REFINED  
PETROLEUM OILS; TOTAL PERCENTAGE OF INGREDIENTS 1-4:80-90.  
CAS:64742-18-3  
RTECS #:PY8032000  
Fraction by Wt: SEE ING  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:300 PPM  
ACGIH TLV:300 PPM

Ingred Name:MINERAL OIL, HYDROTREATED (MILD), HEAVY NAPHTHENIC  
DISTILLATE, PETROLEUM  
CAS:64742-52-5  
RTECS #:PY8035000  
Fraction by Wt: SEE # 1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 AS OIL MIST  
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROL  
EUM DISTILLATES, HYDROTREATED  
(MILD), HEAVY PARAFFINIC  
CAS:64742-54-7  
RTECS #:PY8035500  
Fraction by Wt: SEE # 1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:SOLVENT REFINED HYDROTREATED RESIDUAL OIL  
CAS:64742-57-0  
Fraction by Wt: SEE # 1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 AS OIL MIST  
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:ADDITIVES  
Fraction by Wt: 10 - 15%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:CHLORINATED

PARAFFIN WAX  
CAS:63449-39-8  
RTECS #:RV0450000  
Fraction by Wt: