

BONDED PRODUCTS INC -- SPEC 20-20 PART A MMM-A-1754 #SPEC2020A -- 8040-00-944-7292
===== Product Identification =====

Product ID:SPEC 20-20 PART A MMM-A-1754 #SPEC2020A

MSDS Date:07/07/1996

FSC:8040

NIIN:00-944-7292

Kit Part:Y

MSDS Number: CDHCT

=== Responsible Party ===

Company Name:BONDED PRODUCTS INC

Address:439 S BOLMAR ST

Box:39

City:WEST CHESTER

State:PA

ZIP:19382-4933

Country:US

Preparer's

Name:JOHN BARTUSIAK

CAGE:19092

=== Contractor Identification ===

Company Name:ABBEY COLOR INC DBA ABBEY PRODUCTS AND BONDED

Address:400 E TIOGA ST

Box:City:PHILADELPHIA

State:PA

ZIP:19134-1127

Country:US

Phone:215-739-9960

CAGE:19092

===== Composition/Information on Ingredients =====

Ingred Name:EPOXIDE RESIN

CAS:15336-82-0

Other REC Limits:NONE RECOMMENDED

Ingred Name:ALUMINUM (SARA 313)

CAS:7429-90-5

RTECS #:BD0330000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACG

IH TLV:10 MG/M3

Ingred Name:SILICON DIOXIDE (AMORPHOUS)

CAS:67762-90-7

Other REC Limits:NONE RECOMMENDED

OSHA PEL:20 MPPCF

ACGIH TLV:10 MG/MS

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute a

nd Chronic:PREVENT ALL SKIN/EYE CONTACT. POSSIBLE

IRRITATION/SENSITIZATION. STRONG SENSITIZER. AVOID VAPOR
INHALATION.

Effects of Overexposure:INHALATION: MAY CAUSE HEADACHE. SKIN/EYE: MAY
CAUSE IRRITATION/REDDISH SKIN. SKIN ABSORPTION. IRRITATION, SKIN
MAY BECOME RED. INGESTION: MAY CAUSE NAUSEA/VOMITING.

Medical Cond Aggravated by Exposure:PREVIOUS ALLERGIES OR SKIN
CONDITIONS.

===== First Aid Measures =====

First Aid:SKIN: WASH W/SOA

P & WATER. INHALATION: MOVE TO FRESH AIR.

GIVE OXYGEN, ARTIFICIAL RESPIRATION IF NECESSARY. EYE: FLUSH
W/WATER AT LEAST 15 MINUTES. SEE DR.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>250F,>121C

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR NIOSH APPROVED MASKS.

EXPOSED CONTAINERS SHOULD BE KEPT COOL W/WATER SPRAY.

Unusual Fire/Explosion Haza

rd:PRODUCT SHOULD BE HANDLED AS COMBUSTIBLE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNIT SOURCES. CONTAIN SPILL. SOAK UP W/ABSORBENT MATERIAL. SCRAPE INTO METAL DRUMS. CLEAN AREA W/SOAP & WATER.

===== Handling and Storage =====

Handling and Storage Precautions:PRACTICE CAUTION/GOOD PERSONAL HYGIENE. AVOID INHALATION, SKIN/EYE CONTACT. STORE IN COOL DRY PLACE. AVOID SPARKS/FLAM

E. WORK IN WELL-VENTILATED AREA.

Other Precautions:WASH HANDS W/SOAP & WATER AFTER HANDLING. AVOID BREATHING VAPORS/SMOKE FROM HEATED PRODUCT. WASH CONTAM CLOTHES BEFORE REUSE. DISCARD CONTAM SHOES/LEATHER ARTICLES/OTHER HEAVILY CONTAM CLOTHES. USE PR OTECTIVE CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR.

Ventilation:LOCAL EXHAUST. GENERAL, MECHANICAL VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES

E

Eye Protection:SPLASH PROOF GOGGLES, FACE SHIELD.

Other Protective Equipment:RUBBER APRON, SAFETY SPRAY/SHOWER, EYEBATH.

Work Hygienic Practices:USE RUBBER PROTECTIVE GARMENTS. RESPIRATOR (NIOSH) WHEN SANDING CURRED PRODUCT. WASH EXPOSED SKIN BEFORE EATING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Vapor Density:NA

Spec Gravity:1.7 @ 25C

Evaporation Rate & Reference:NA

Solubility in Water:SLIGHT

Appearance and Odor:WHITE P

ASTE, CHARACTERISTIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: TEMPERATURES >110F.

Hazardous Decomposition Products: CARBON DIOXIDE &/OR CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: REACT PART A W/PART B. INCINERATE UNDER APPROVED
CONDITIONS THAT MEET FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (p

rovided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.