

SYNKOLOID OF FLORIDA INC -- SPACKLE, INT & EXT #N100 -- 5610-00-926-4562

=====
Product Identification
=====

Product ID:SPACKLE, INT & EXT #N100
MSDS Date:10/02/1991
FSC:5610
NIIN:00-926-4562
MSDS Number: CDPHS
=== Responsible Party ===
Company Name:SYNKOLOID OF FLORIDA INC
Address:40 ENTERPRISE BLVD SW
City:ATLANTA
State:GA
ZIP:30331
Country:US
CAGE:52615

==== Contractor Identification ====

Company
Name:SYNKOLOID OF FLORIDA INC
Address:40 ENTERPRISE BLVD SW
Box:City:ATLANTA
State:GA
ZIP:30331
Country:US
CAGE:52615

=====
Composition/Information on Ingredients
=====

Ingred Name:SOY BEAN PROTEIN
CAS:68513-95-1
Other REC Limits:NONE RECOMMENDED

Ingred Name:CASIEN
CAS:9000-71-9
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYD RESIN
CAS:68554-99-4
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Other REC Limits:NONE RECOMMENDED

Ingre

d Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:VOC = 1.3 LB/GL

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and C

Chronic:INHALATION: HEADACHE, NAUSEA,

IRRITATION OF NOSE/THROAT/LUNGS. EYE: IRRITATION. SKIN: IRRITATION.

=====
===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. EYE: FLUSH W/LARGE AMTS WATER.

CALL DR. SKIN: WASH W/SOAP & WATER. CALL DR. INGESTION: GIVE 2

GLASSES WATER. CALL DR. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS
PERSON.

=====
===== Fire Fighting Measures =====

Flash Point:NA

Autoignition

Autoignition Temp Text:NA

Extinguishing Media:NA

Fire Fighting Procedures:COOL EXPOSED CONTAINERS W/WATER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNIT SOURCES. ABSORB W/ABSORBENT.

SWEEP/SCOOP UP. VENTILATE AREA.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAME. USE
ADEQUATE VENTILATION.

Other Precautions:AVOID CHRONIC VAPOR BREATHING

OR SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation: AIR-SUPPLIED RESCUE EQUIPMENT IN ENCLOSED AREAS.

Protective Gloves: YES

Eye Protection: GLASSES

Other Protective Equipment: FULL LENGTH CLOTHING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 212F, 100C

Vapor Pres: NA

Evaporation Rate & Reference: SLOWER THAN ETHER

Percent Volatiles by Volume: NA

===== Stabi

lity and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NK

Hazardous Decomposition Products: ACRYLIC MONOMERS, CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: ACCORDING TO FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.