

DEXTER CORP HYSOL DIV -- HYSOL EA 9330 GAL SYSTEM AS9163018 -- 8040-01-089-9073
===== Product Identification =====

Product ID:HYSOL EA 9330 GAL SYSTEM AS9163018

MSDS Date:04/01/1994

FSC:8040

NIIN:01-089-9073

Kit Part:Y

MSDS Number: CDVPW

=== Responsible Party ===

Company Name:DEXTER CORP HYSOL DIV

Address:1 DEXTER DR.L RD

City:SEABROOK

State:NH

ZIP:03874

Country:US

Info Phone Num:603-474-5541

Eme

rgency Phone Num:800-424-9300

CAGE:1JB33

=== Contractor Identification ===

Company Name:DEXTER CORP THE HYSOL DIV

Address:1 DEXTER DR

Box:City:SEABROOK

State:NH

ZIP:03874

Country:US

Phone:603-474-5541/FAX: 603-474-5545

CAGE:1JB33

Company Name:RESIN FORMULATORS CO

Address:8500 STELLER DR

Box:City:CALVER CITY

State:CA

ZIP:90232

Country:US

Phone:213-870-9561

CAGE:03355

===== Composition/Information on Ingredients =====

Ingred Name:BISPHENOL A-EPICHLOROHYDRON EPOXY RESIN ORAL RAT

LD50

11,400MG/KG DERMAL RABBIT LD50 >20ML/KG

Fraction by Wt: 60-100%

Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPRIETARY INGREDIENT BUTADIENE-ACRYLONITRILE COPOLYMER

Fraction by Wt: 5-10.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = 125F UNLESS CURING SURFACES TO BE BONDED. CAUTION:
MAY CAUSE EXOTHE RM.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:UNNECESSARY WITH ADEQUATE EXHAUST VENTILATION.

Ventilation:LOCAL EXHAUST VEN

TILATION AT THE POINT OF USE.

Protective Gloves:BUTYL RUBBER, PVC, NITRILE RUBBER GLOVES

Eye Protection:SAFETY GLASSES W/SIDE SHIELD;CHEM GOGGLE

Other Protective Equipment:AN EYEWASH AND SAFETY SHOWER SHOULD BE
NEARBY AND READY FOR USE.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING MATERIALS.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:UNDEFINED

Decomp Temp:Decomp Text:UNTESTED

Vapor Pres:NIL

Vap

or Density:>1.0

Spec Gravity:1.25

Viscosity:*

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PEARLESCENT PASTE, W/PUNGENT ODOR

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Stability Condition to Avoid:AVOID MIXING RESIN & CURING AGENT IN

BATCHES >1 LB. UNLESS YOU PLAN TO USE IMMEDIATELY, DON'T HEAT MIXED
ADHESIVE >125F.

Hazardous Decomposition

Products:CO, NOX, ALDEHYDES, ACIDS &
UNDETERMINED ORGANICS.

===== Disposal Considerations =====

Waste Disposal Methods:NOT RCRA HAZ WASTE. HOWEVER, INCINERATION IN EPA APPROVED WASTE INCINERATOR IS PREFERRED. CHEM ADDITIONS/PROCESSING/OTHERWISE ALTERING MATL MAY MAKE WASTE MANAGEMENT INFO HEREIN INCOMPLETE/INACCURATE/ INAPPROPRIATE. CONSULT STATE/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.