View NSN Online: https://aerobasegroup.tw/nsn/6850-01-183-4635

LORD CORP CHEMICAL PRODUCTS GR -- ACCELERATOR 19 ADHESIVE

MSDS Safety Information

FSC: 6850

NIIN: 01-183-4635 MSDS Date: 02/13/1995 MSDS Num: CFKGX

Product ID: ACCELERATOR 19 ADHESIVE

MFN: 01

Responsible Party Cage: 30676

Name: LORD CORP CHEMICAL PRODUCTS GROUP

Address: 2000 W GRANDVIEW BLVD

Box: 100

38

City: ERIE PA 16514-0036

Info Phone Number: 814-868-3611

Emergency Phone Number: 814-763-2345

Proprietary Ind: Y Published: Y

Contractor Summary

Cage: 30676

Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Address: 2000 WEST GRANDVIEW BLVD

City: ERIE PA 16514-0038 Phone: 814-868-3611

Item Description Information

========

Item Manager: S9G

Item Name: ELECTROLESS PLATING SOLUTION ADDITIVE, COPPER

Specification Number: UNKNOWN

Unit of Issue: DR

Quantitative Expression: 00000000005GL

UI Container Qty: 0

Type of Container: 1A1 METAL

Ingredients

Name: *** PROPRIETARY ***

Health

Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: MAY CAUSE SKIN/EYE IRRIT, ALLERGIC SKIN REACTION, RESP TRACT IRRIT. HARMFUL IF SWALLOWED. INGESTION IS NOT EXPECTED ROUTE OF ENTRY IN

INDUSTRIAL OR COMMERCIAL USES.

Signs And Symptions Of Overexposure: EYE IRRIT, SKIN IRRIT, SKIN

SENSITIZATION,D

ERAMTITIS.RESPIRATORY TRACT IRRIT, HARMFUL IF

SWALLOWED.CHRONIC:SKIN CONTACT MAY CAUSE DERMATITIS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE:FLUSH IMME DW/LG AMT OF WATER FOR @LEAST 15MINS HOLDING EYELIDS OPEN.GET PROMPT MED ATTN.SKIN:FLUSH CONTAM SKIN W/LG ATMS OF WATER WHILE REMOVING CONTAM CLOTH.WASH SKIN W/SOAP/WATER.GET MED ATTN I F SYMPTOMS OCCUR.INHAL:MOVE TO FRESH AIR.RESTORE & SUPPORT CONT BREATHING.BREATING DIFF GIVE OXY.GET IMMED

MED ATTN.INGEST:DONT INDUCE VOMIT.GIVE 1-2 GLASSES OF WATER/MILK.CALL DR/POIS CNTRL CNTR(SUP)

Handling and Disposal

Spill Release Procedures: AVOID BREATH VAP.USE SELF-CONTAINED BREATH EQPMT.NOTIFY APPROP AUTHORITIES IF NECESSARY.CONTAIN/REMOVE W/INERT ABSORBENT MATL.AVOID CONTACT.KEEP NON-ESSENTIAL PERSONNEL AWAY FROM SPILL AREA.BEF CLEANU P REF TO HAZ CAUT INFO IN OTHER SEC I N MSDS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPO SHOULD BE DONE IAW FED(40CFR261),STATE,LOC ENVIRO CNTRL REGS.IF WASTE IS DETERMINED TO BE HAZ USE ICENSED HAZ WASTE TRANSPORTER & DISPOSAL FACILITY.SARA SEC 313 CHEMS:BENZOYL PEROXIDE & It;4.0%.

Handling And Storage Precautions: KEEP CLOSURE TIGHT, CNTNR UPRIGHT-PREVENT LEAKAGE. AVOID SKIN/EYE CONTACT. AVOID BREATH VAP/SPRAY MIST. DON'T HNDL TIL ALL SAF PRECAUT READ/UNDERSTOOD.

Other Precautions: EMPT

Y CNTNRS SHOULDNT BE REUSED.USE W/ADEQU VENTI.STORE ONLY
IN WELL-VENTI AREAS.KEEP CNTNR CLSD WHEN NOT IN USE.FOOD/BEV SHOULD NOT BE
CONSUMED ANYWHERE THIS PRODUCT IS HANDLED OR STORED.

Fire and Explosion Hazard Information

Flash Point Method: SCC

Flash Point Text: >200F,>93C

Autoignition Temp Text: N/D

Lower Limits: NA Upper Limits: NA

Extinguishing Media: CO2, DRY CHEMICAL,

FOAM, WATER FOG.

Fire Fighting Procedures: WEAR FULL FIREFIGHTING PROT CLOTH INCLUDE SCBA.IF

WATER USED FOG NOZZ PREFER.DURING FIER IRRIT & amp;/OR TOX GAS/PARTICLUATE MAY

BE GENERATED BY THERM DECOMPO/COMBUS

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT.USE WATER SPRAY TO KEEP FIRE EXPO CONTAINERS COOL.

Control Measures

Respiratory Pr

otection: USE NIOSH/MSHA APROV AIR-PURIF ORG VAP RESP IF

OCCUPATIONAL LIMITS EXCEEDED.FOR EMERG SITUATIONS/CONFINED SPACE USE/OHTER CONDITIONS WHERE EXPO LIMITS GREATLY EXCEEDED USE APPROV AIR-SUPP RES.OBSERVE OSHA REGS(29CFR1910.134) FOR RESP USE.

Ventilation: SUFFI VENTI IN PATTERN/VOL SHOULD BE PROVIDED IN ORDER TO MAINTAIN AIR CONTAM LEVELS BELOW RECOMMENDED EXPO LIMITS.

Protective Gloves: NEOPRENE, NITRILE, RUBB GLOVES Eye Protection: SAF GLASS W/SIDESHIELDS, CHEM GOGG

Other Protectiv

e Equipment: REMOVE/WASH CONTAM CLOTH BEF REUSE.

Work Hygienic Practices: WASH THOROUGHLY AFT HNDLG.WASH HANDS BEF EAT/SMOKE/USE TOILET FAC.DONT SMOKE IN ANY CHEM HDNL/STORAGE AREA.

Supplemental Safety and Health: 1STAID:IMMED.NEVET GIVE ANYTHING BY MOUTH IF UNCONSC.

Physical/Chemical Properties

HCC: N1

B.P. Text: 212F,100C

M.P/F.P Text: N/DETERMINE Vapor Pres: N/DETERMIN

Vapor De

nsity: >AIR Spec Gravity: 1.53 VOC Pounds/Gallon: .05 PH: NA VOC Grams/Liter: 6 Evaporation Rate & Evaporation R Solubility in Water: INSOLUBLE Appearance and Odor: YELLOW PASTE, NO ODOR Percent Volatiles by Volume: 0.6 _____ Reactivity Data _____ Stability Indicator: YES Stability Condition To Avoid: HIGH TEMPERATURES. Materials To Avoid: STRONG AICDS, BASES AND STRONG OXID IZERS. Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE. Hazardous Polymerization Indicator: NO _____ Toxicological Information _____ _____ **Ecological Information** ______ ______ MSDS Transport Information _____ _____ ______ Regulatory Information ______ Other Information ______

Transportation Information

Responsible Party Cage: 30676

Trans ID NO: 113470 Product ID: ACC

ELERATOR 19 ADHESIVE

MSDS Prepared Date: 02/13/1995

Review Date: 09/09/1997

MFN: 1

Net Unit Weight: 63.8 LBS Multiple KIT Number: 0

Review IND: Y Unit Of Issue: DR Container QTY: 0

Type Of Container: 1A1 METAL

Additional Data: PER MSDS:DOT PROPER SHIPPING NAME:NOT REGULATED, HAZ

CLASS/UN/PKG GROUP:NONE.

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED

BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: ACCELERATOR 19 ADHESIVE

Cage: 30676

Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Street: 2000 WEST GRANDVIEW BLVD

City: ERIE PA Zipcode: 1 6514-0038

Health Emergency Phone: 814-763-2345

Label Required IND: Y

Date Of Label Review: 09/09/1997

Status Code: C

Label Date: 09/09/1997
Origination Code: F
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Health Hazard: Moderate
Contact Hazard: Moderate

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: MAY CAUSE SKIN/EYE IRRIT, ALLERGIC SKIN RX, RESP TRACT

IRRIT.HARMFUL IF INGEST.INGEST NOT EXPECTED ROUTE OF ENTRY IN

INDUSTRIAL/COM

MERCIAL USES.TARGET ORGANS:EYE/SKIN.DONT HNDL TIL ALL SAF PRECAUT READ/ UNDERSTOOD.1STAID:EYE:FLUSH IMMED W/LOTS OF WATER @LEAST 15MINS,EYELIDS OPN.GET PROMPT MED ATTN.SKIN:FLUSH CONTAM SKIN W/LG ATMS OF WATER WHILE REMOVING CONTAM CLOTH.WASH SKIN W/SOAP/WATER.GET MED ATT N IF SYMPTOMS OCCUR.INHAL:MOVE TO FRESH AIR.RESTORE & SUPPORT CONT BREATHING.BREATING DIFF GIVE OXY.GET IMMED MED ATTN.INGEST:DONT INDUCE VOMIT.GIVE 1-2 GLASSES OF WATER/MILK.CALL DR/POIS CNTRL CNTR I MMED.NEVER

GIVE ANYTHING BY MOUTH IF UNCONSC.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or

persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.